



80 RIDING LAWNMOWER
M91 GRASS BAGGER
M92 THATCHER
Parts Catalog No. C1300

casecollectorsoll.com

JI Case
A Tenneco Company



MODEL 80 RIDING LAWNMOWER

MODEL M91 GRASS BAGGER

MODEL M92 THATCHER

Parts Catalog No. C1300

NOTE: This parts catalog replaces
Parts Catalog B1300.




J I Case
A Tenneco Company



OPE Division
Service Department
119 S. First Street
Winneconne, Wis. 54986

CASE MODEL 80 RIDING LAWNMOWER



**LAWNMOWER MODEL
AND PRODUCT IDENTIFICATION
NUMBER (P.I.N.)**

**ENGINE MODEL AND
SERIAL NUMBER**

LAWNMOWER MODEL DESIGNATION	ENGINE MODEL DESIGNATIONS
MODEL 80 LAWNMOWER	BRIGGS AND STRATTON 190705 ENGINE MODEL NO. C24339 (used prior to S/N 9746101) MODEL NO. C24852 (used S/N 9746101 to 9759204) MODEL NO. C25182 (used S/N 9759204 to 9776118) MODEL NO. C25858 (used S/N 9776118 and after)

SERIAL NUMBERS

When using this catalog, notice the reference to serial numbers of various components noted here and listed in the "description" copy. By referring to correct serial numbers, proper parts identification will be assured.

GENERAL INFORMATION

Indexes

This parts Catalog is arranged for easy identification of Genuine CASE Service Parts. An alphabetical index is provided at the front of this Catalog to locate the major groups or assemblies. A numerical index at the rear of the Catalog gives the part numbers and the pages on which they are described.

Illustrations

All parts are illustrated in "Exploded Views" which show the individual parts in their normal relationship to each other. Reference numbers are used in the illustrations. These numbers correspond to those in the "Reference Number" column and are followed by the part number, description and quantity required.

Orders

Orders should plainly specify correct part number, full description, quantity required, machine model and engine model, machine and engine serial numbers, method of shipment and shipping address.

Changes

When changes to the machine make it necessary, revised pages for this book will be issued. The revised pages will be issued with the same page number as those they replace and the "issue" number and date will be advanced.

It is imperative that revised Parts Book pages be inserted into their respective Parts Books as soon as received. Failure to do so will lead to confusion and defeat the purpose of the book.

Indented Description

Indented parts in the descriptive list are a part of the preceding assembly or sub-assembly.

The quantity shown in the "Number Required" column is the number of parts used on a machine except where parts are indented in descriptive list. In this case the quantity shown is the number required for the preceding assembly or sub-assembly.

REF.	PART NO.	DESCRIPTION	REQ'D
	A 55159	CYLINDER ASSY - rear steering	1
28	A 56208	SOCKET ASSY - rear cylinder	1
29	A 55956	PLUG - adjusting, socket assy	1
30	A 55957	SEAT - socket ball	2
31	A 56210	SPRING - socket	1
32	A 56209	SEAT - socket spring.	1
33	G 45175	CLAMP ASSY - socket assy	1
	16- 836	BOLT - 1/2" x 2-1/4" N.F. hex.	1
34	132- 104	PIN - cotter, 3/16" x 3".	1
35	A 55889	STUD - ball, socket & cylinder	2
36	13- 410	BOLT - 1/4" x 5/8" N.C., hex.	4
37	92- 4	LOCKWASHER - 1/4" SAE.	4

Terms "Right Hand" and "Left Hand"

"Right Hand" and "Left Hand" sides of this machine are determined by standing at the rear of the unit and facing in the direction of forward travel.

ENGINE AND ATTACHING PARTS

Air Ducts	13
Carburetor	11
Engine	5- 7
Exhaust	11
Fuel System	9
Ignition	15
Mounting Plate	13
Starter Motor	15-17

BASIC RIDING LAWNMOWER

Axle, Front	29
Axle, Rear	39
Chain, Drive	39
Clutch and Brake Assembly	41
Dash Tower	25
Decals	23
Drive Shaft Assembly	35
Electrical System	19-21
Electrical System Hardware	19
Enclosure, Engine	27
Frame	25
Jackshaft Assembly	37
Mower Deck	45
Mower Drive Assembly	47
Mower Drive Control	43
Mower Height and Lift Control	43
Seat	27
Steering Assembly	29
Transmission Drive Pivot	33
Travel Control	31
Wheels, Front and Rear	27

MODEL M91 BAGGER ATTACHMENT


Entire Parts List	49
-------------------------	----

MODEL M92 THATCHER ATTACHMENT

Entire Parts List	51
-------------------------	----


MODEL M93 REAR STAND KIT

Entire Parts List	49
-------------------------	----





ENGINE

REF.	PART NO.	DESCRIPTION	REQ.D.
1	BR 390640	BLOCK ASSEMBLY - short	1
2	BR 392004	BLOCK - cylinder, stripped	1
3	BR 295962	BUSHING - cylinder	1
4	BR 294606	SEAL - oil	1
5	BR 321055	BUSHING - governor shaft	1
7	BR 270824	GASKET - carburetor mtg.	1
9	BR 261038	CRANKSHAFT	1
10	BR 392548	OIL PAN ASSEMBLY	1
11	BR 295963	BUSHING - oil pan	1
12	BR 298423	SEAL - oil	1
13	BR 27750	GASKET - oil pan	1
14	BR 93585	SCREW - oil pan mtg.	4
15	BR 391673	PISTON ASSEMBLY - standard	1
15	BR 391674	PISTON ASSEMBLY - .010 oversize (includes rings)	1
15	BR 391675	PISTON ASSEMBLY - .020 oversize (includes rings)	1
15	BR 391676	PISTON ASSEMBLY - .030 oversize (includes rings)	1
16	BR 391669	RING SET - standard	1
16	BR 391670	RING SET - .010 oversize	1
16	BR 391671	RING SET - .020 oversize	1
16	BR 391672	RING SET - .030 oversize	1
17	BR 295840	PIN ASSEMBLY - piston, standard (includes locks)	1
17	BR 295841	PIN ASSEMBLY - piston, .005 oversize	1
18	BR 392718	BRACKET ASSEMBLY - governor gear & oil slinger	1
19	BR 270430	GASKET - cylinder head	1
20	BR 390402	CONNECTING ROD ASSEMBLY	1
21	BR 222114	LOCK - connecting rod bolt	1
22	BR 92659	BOLT - connecting rod	2
23	BR 27803	GASKET - valve cover	1
24	BR 390419	VALVE - exhaust	1
25	BR 93630	LOCK - exhaust valve	2
26	BR 292260	ROTATOR - exhaust valve	1
27	BR 261055	VALVE - intake	1
28	BR 221596	KEEPER - intake valve	1
29	BR 65906	SPRING - intake valve	1
30	BR 26828	SPRING - exhaust valve	1
31	BR 260933	APPET - valve	2
32	BR 210728	GEAR - cam	1
33	BR 231058	SHAFT - governor lever	1
34	136-103	PIN - hair	1
35	A 27795	RETAINER	1
36	BR 221898	BAFFLE - cylinder (used prior to S/N 9746101)	1
36	BR 222830	BAFFLE - cylinder (used S/N 9746101 and after)	1
37	BR 93163	SCREW - baffle mtg.	1
38	BR 222117	COVER - breaker points	1
39	187-1041	SCREW - sems	2
40	BR 391406	BREATHER ASSEMBLY - crankcase	1
41	BR 280005	TUBE - breather	1
42	BR 93536	SCREW - sems	2
43	BR 211778	HEAD - cylinder (used prior to S/N 9746101)	1
43	BR 212286	HEAD - cylinder (used S/N 9746101 and after)	1
44	BR 93723	BOLT - cylinder head (used S/N 9746101 and after)	1
44	BR 93113	BOLT - cylinder head, 2-9/32" (used prior to S/N 9746101)	4
45	BR 93211	BOLT - cylinder head, 2-21/32" (used prior to S/N 9746101)	4
45	BR 93211	BOLT - cylinder head (used S/N 9746101 and after) (6 reqd. early prod.)	8






ENGINE

REF.	PART NO.	DESCRIPTION	REQ.D.
46	BR 392034	FLYWHEEL AND RING GEAR ASSEMBLY	1
47	BR 61760	KEY - flywheel	1
48	BR 220865	WASHER - spring	1
49	BR 92284	NUT - flywheel	1
50	BR 93808	SCREWS - sems	3
51	BR 222561	CUP - screen mounting (use S/N 9776118 and after)	1
52	BR 222562	SCREEN - flywheel (use S/N 9776118 and after)	1
53	BR 260971	LINK - governor	1
54	BR 261306	SPRING - governor	1
55	BR 261117	LINK - choke	1
56	BR 390662	PLATE - governor control	1
57	BR 222450	WASHER - governor lever	1
58	BR 93572	SCREW - governor lever	1
59	BR 221535	CLAMP	1
60	BR 93496	SCREW - sems	1
61	BR 391733	LEVER ASSEMBLY - governor	1
62	BR 220680	WASHER - #10	1
63	11- 312	BOLT - #10 NC round head	1
64	129- 7	NUT - #10 NC hex	1
65	BR 221760	GUIDE - air	1
66	BR 260584	SPRING - governor link	1
67	BR 93735	SCREW - terminal	1
68	193- 25	LOCKWASHER - #8 internal tooth	2
69	BR 66554	COLLAR - insulating	1
70	BR 66068	WASHER - insulating	1
71	129- 6	NUT - #8 NC hex	2
72	BR 299500	WIRE - ground	1
73	217- 1027	ELBOW - 90° street	1
74	C 19473	NIPPLE - pipe (used prior to S/N 9759204)	1
74	C 18814	NIPPLE - pipe (used S/N 9759204 and after)	1
75	C 14906	GASKET - plug, oil drain	1
76	221- 13	PLUG - oil drain	1
77	BR 391840	DIPSTICK AND CAP ASSEMBLY - oil	1
78	BR 280133	TUBE - oil filter	1
79	BR 68838	SEAL - filter tube	1
80	BR 270920	SEAL - filter cap	1
81	BR 222502	BRACKET - mounting	1
82	BR 93804	SCREW - bracket	1
83	BR 93583	STUD - cylinder head (used prior to S/N 9746101)	2
83	BR 93776	STUD - cylinder head (used S/N 9746101 to S/N 9759204)	2
87	BR 298968	COIL ASSEMBLY - ignition	1
88	BR 93381	SCREW - coil mtg.	2
89	BR 221997	CLIP - wire	1
90	BR 66538	INSULATOR - spark plug	1
91	C 24329	SPARK PLUG	2
92	BR 392134	GEAR - ring	1
93	BR 390233	SHIELD - starter (used prior to S/N 9759204)	1
94	BR 93410	SCREW - shield mtg. (used prior to S/N 9759204)	2
95	BR 393128	HOUSING - blower	1
96	BR 93158	SCREW - blower housing mtg.	4
97	BR 222351	BAFFLE - cylinder head (used prior to S/N 9746101)	1
97	BR 222636	BAFFLE - cylinder head (used S/N 9746101 and after)	1
98	BR 68546	RING - pin retainer	2
	BR 299577	KIT - engine gasket (includes items 7, 13, 19 and 23)	1



FUEL SYSTEM

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 23671	TANK - fuel (used prior to S/N 9759204)	1
2	C 11529	CAP - fuel tank (includes insert)	1
3	C 11545	INSERT - cap	1
4	D 53521	HOSE - rubber 1/4" I.D. x 12" (used prior to S/N 9759204)	1
5	214- 253	CLAMP - hose (4 reqd. prior to S/N 9759204)	2
6	214- 272	CLAMP - fuel tank (used prior to S/N 9759204)	2
7	C 24391	CUSHION - clamp, fuel tank (used prior to S/N 9759204)	2
8	C 24463	BRACKET - mounting, fuel tank (used prior to S/N 9746101)	1
8	C 24780	BRACKET - mounting, fuel tank (used S/N 9746101 to S/N 9759204)	1
9	121- 106	BOLT - 5/16" - 18 x 1/2" flange head (1 reqd. prior to S/N 9759204)	4
10	BR 390811	CARBURETOR - (repairs page 11)	1
11	BR 270539	GASKET - air cleaner	1
12	BR 270824	GASKET - carburetor mounting	1
13	BR 391399	CLEANER ASSEMBLY - air	1
14	BR 270528	ELEMENT - air cleaner	1
15	BR 93323	SCREW - air cleaner	1
16	BR 93622	SCREW - air cleaner	1
17	C 23641	CONTROL - choke and throttle	1
18	C 15540	HANDLE - control	1
19	182- 573	SCREW - #10 - 24 x 1/2" pan hd. Phillips	2
20	192- 18	LOCKWASHER #10	2
21	129- 17	NUT - #10 - 24 hex	2
22	195- 521	WASHER - 5/16"	4
23	131- 176	NUT - lock 5/16" - 18	4
24	H 336909	HOSE - rubber 1/4" I.D. x 6" (used prior to S/N 9759204)	1
25	D 59949	FILTER - fuel (used prior to S/N 9759204)	1
26	C 24689	CLIP - fuel line	1
27	C 25125	TANK - fuel (used S/N 9759204 and after)	1
28	C 10657	ELBOW ASSEMBLY - tank (used S/N 9759204 and after)	1
29	C 25144	BRACKET - tank mount, front (used S/N 9759204 and after)	1
30	C 25146	BRACKET - tank mount, rear (used S/N 9759204 and after)	1
31	C 18274	HOSE - fuel (used S/N 9759204 and after)	1
32	113- 102	BOLT - 5/16" - 18 x 3/4" (used S/N 9759204 and after)	4



USE S/N 9776118 AND AFTER

BR 390811 CARBURETOR

REF.	PART NO.	DESCRIPTION	REQ'D.
1	BR 93357	SCREW - carburetor mtg.	2
2	41- 24	PLUG - welch	1
3	BR 27590	FILTER - carburetor drain.	1
4	BR 211954	RETAINER - carburetor drain filter.	1
5	BR 292681	VALVE ASSEMBLY - carburetor idle	1
6	BR 26157	SPRING - throttle adj.	1
7	BR 23108	BUSHING - throttle shaft	2
8	BR 93499	SCREW - throttle and choke mtg.	3
9	BR 91920	SCREW - #8 x 5/8" mach.	1
10	138- 251	PIN - throttle stop	1
11	BR 230896	PIN - float hinge	1
12	BR 222010	VALVE - choke	1
13	BR 391233	VALVE ASSEMBLY - needle	1
14	BR 270824	GASKET - carburetor mtg.	1
15	BR 221986	VALVE - throttle	1
16	BR 391512	SHAFT AND LEVER - throttle	1
17	BR 211712	STOP - throttle	1
18	BR 299707	FLOAT - carburetor.	1
19	BR 299096	VALVE - fuel inlet assembly	1
20	BR 221995	BOWL - float	1
21	BR 270511	GASKET - float bowl	1
22	BR 222014	WASHER - float bowl	1
23	BR 390684	SHAFT AND LEVER - choke.	1
24	BR 299740	NOZZLE - carburetor	1
25	BR 230932	SCREW - nozzle	1
26	BR 222027	BRACKET - carburetor	1
27	BR 93572	SCREW - bracket mtg.	2
28	BR 270382	WASHER - choke shaft	1
29	BR 261116	SPRING - choke return	1
30	C 10678	CONNECTOR - fuel pipe	1
31	BR 299852	KIT - carburetor overhaul	1
32	BR 211682	VENTURI	1

EXHAUST SYSTEM



1	C 24246	PIPE - exhaust	1
2	C 24340	GASKET - flange, exhaust pipe	1
3	61- 410	BOLT - 1/4" - 20 x 5/8" socket head.	2
4	192- 19	LOCK WASHER - 1/4"	2
5	C 24341	CLAMP - muffler	1
6	111- 256	BOLT - 5/16" - 18 x 1/4 rd. hd. sq. neck.	1
7	192- 20	LOCK WASHER - 5/16"	1
8	129- 102	NUT - 5/16" - 18 hex.	1
9	C 24510	BRACKET - mounting, muffler	1
10	113 1	BOLT - 1/4" - 20 x 1/2" hex	2
11	192- 19	LOCK WASHER - 1/4"	2
12	C 24191	MUFFLER - exhaust	1
13	BR 391313	MUFFLER - exhaust	1
14	BR 221885	SHIELD - heat	1
15	BR 22263	LOCK - bolt	1
16	BR 93704	BOLT - muffler.	2
17	C 25500	DEFLECTOR - exhaust	1
18	187- 1041	SCREW - special	4

ENGINE MOUNTING PLATE

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 25030	PLATE - engine mounting (also use [2] C24377 washers, shim gear case to outside prior to S/N 9758814).....	1
2	121- 106	BOLT - 5/16" - 18 x 1/2" flange hd.	4
3	C 24506	BUSHING - rubber	4
4	C 22474	MOUNT ASSEMBLY - engine.	4
5	113- 111	BOLT - 5/16" - 18 x 2-1/2" hex	4
6	131- 176	NUT - lock 5/16" - 18 hex	4
7	195- 524	WASHER - 5/16" (front engine mounts only) early production	2
8	C 24182	BUSHING - flange	2
9	A 15043	SHIM - washer	UAR

ENGINE AIR DUCTS

1	C 25859	DUCT - air exhaust (use S/N 9776118 and after)	1
1	C 24507	DUCT - air exhaust (used prior to S/N 9746101)	1
1	C 24782	DUCT - air exhaust (used S/N 9746101 to 9776118)	1
2	113- 1	BOLT - 1/4" - 20 x 1/2" hex	2
3	192- 19	LOCK WASHER - 1/4"	2
4	113- 101	BOLT - 5/16" - 18 x 1/2" hex	1
5	192- 20	LOCK WASHER - 5/16"	1
6	C 24509	DUCT - air intake (use before S/N 9776118)	1
7	C 25393	BRACKET - support, duct	1
8	192- 18	LOCK WASHER - 3/16"	4
9	353- 406	PLUG - hole	3
10	129- 17	NUT - #10 - 32 hex	4





STARTER MOTOR – AMERICAN BOSCH
BOSCH MODEL 01965 - 23-MO - 30 - SM

REF.	PART NO.	DESCRIPTION	REQ'D
1	NSS	MOTOR - starting 12V, Bosch (use BR392749)	1
2	BR 391461	DRIVE ASSEMBLY - starter	1
3	BR 390444	END CAP ASSEMBLY - drive end, Bosch	1
4	NSS	WASHER - thrust, (retain old washer for service)	1
5	BR 391607	ARMATURE - starter, Bosch	1
6	BR 390447	HOUSING - starter, Bosch	1
7	BR 390449	BRUSH ASSEMBLY - Bosch	1
8	BR 390448	END CAP ASSEMBLY - com. end, Bosch	1
9	BR 390450	BOLT - thru - Bosch (includes washer)	2

STARTER MOTOR – MITSUBISHI
MITSUBISHI MODEL M001T02271

1	NSS	MOTOR - starting 12V, Mitsubishi (use BR392749)	1
2	BR 391461	DRIVE ASSEMBLY - starter	1
3	BR 391585	END CAP ASSEMBLY - drive end, mitsubishi	1
4	NSS	WASHER - thrust (retain old washers for service)	2
5	BR 391584	ARMATURE - starter, mitsubishi	1
6	BR 390452	HOUSING - starter, mitsubishi	1
7	BR 390990	BRUSH ASSEMBLY - mitsubishi	1
8	BR 390455	END CAP ASSEMBLY - com. end (includes brush set)	1
9	NSS	SPACER - starter (retain old spacer for service)	1
10	BR 93771	BOLT - thru, mitsubishi	2





ELECTRICAL SYSTEM

(Use before S/N 9775534)

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24755	HARNESS - wire (used S/N 9746098 and after)	1
1	C 24362	HARNESS - wire (used prior to S/N 9746098)	1
2	C 24359	WIRE - connector to neutral start switch (pink)	1
3	C 24572	WIRE - switch to switch (orange)(used prior to S/N 9746098)	1
4	C 14565	CABLE - battery positive to solenoid (red)	1
5	C 24360	CABLE - solenoid to starter (red)	1
6	BR 294628	POINTS AND CONDENSER	1
7	C 24351	ADAPTOR - battery charger	1
8	C 24619	HARNESS - wire	1
9	C 24460	CONNECTOR - switch	1
10	C 22765	SWITCH - neutral start	2
11	C 14553	SOLENOID - start	1
12	C 24350	BATTERY - 12 volt (includes caps, vent hose and hardware)	1
	C 24656	CAP - battery	6
13	C 24346	CHARGER - battery, 12 volt (American usage)	1
13	C 25059	CHARGER - battery, 12 volt (European usage)	1
14	C 24145	SWITCH ASSEMBLY - ignition (includes washer and key) (order nut below)	1
15	C 24329	SPARK PLUG	1
16	BR 392749	STARTER - engine 12 volt,	1
17	BR 298968	COIL ASSEMBLY - ignition (includes spark plug wire)	1
18	C 24754	WIRE - switch to solenoid (used S/N 9746098 and after)	1

ELECTRICAL SYSTEM HARDWARE

1	C 24263	STRAP - battery hold down	1
2	L 54225	HOSE - vent	1
3	C 24428	CUSHION - battery	1
4	113- 1	BOLT - 1/4" - 20 x 1/2" hex	4
5	192- 19	LOCK WASHER - 1/4"	4
6	129- 101	NUT - 1/4 - 20 hex	4
7	A 24509	KEY AND RING ASSEMBLY	1
8	C 23248	LOCK WASHER - 5/8" internal tooth	1
9	C 24659	NUT - 5/8" 32 knurled	1
10	187- 1003	SCREW - #8 - 32 x 5/16" self tapping hex	4
11	129- 27	NUT - #10 NF hex	2
12	193- 26	LOCK WASHER - #10	2
13	129- 162	NUT - 5/16"	2
14	193- 29	LOCK WASHER - 5/16" NF hex	2
15	C 22947	TIE - wire	5
16	169- 145	BOLT - 1/4" - 20 x 5/8"	2
17	187- 1908	SCREW - self-tapping	2
18	193- 76	LOCK WASHER	2
19	182- 9	SCREW - No. 4 - 40 x 3/4" pan head	2
20	129- 13	NUT - No. 4 - 40 hex	2
21	192- 13	LOCK WASHER - No. 4	2




ELECTRICAL SYSTEM

(Use S/N 9775534 and after)

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 25502	HARNESS - wire	1
2	BR 298968	COIL ASSEMBLY - ignition (includes spark plug wire)	1
3	BR 392749	STARTER - engine 12 volt.	1
4	C 14565	CABLE - battery positive to solenoid (red).	1
5	C 24360	CABLE - solenoid to starter (red).	1
6	BR 294628	POINTS AND CONDENSER	1
7	C 24351	ADAPTOR - battery charger	1
8	C 25503	HARNESS - wire	1
9	C 24460	CONNECTOR - switch	1
10	C 24800	SWITCH - neutral start	1
11	C 25499	SOLENOID - start	1
12	C 24350	BATTERY - 12 volt (includes caps, vent hose and hardware)	1
	C 24656	CAP - battery	6
13	C 24346	CHARGER - battery, 12 volt (American usage)	1
13	C 25059	CHARGER - battery, 12 volt (European usage)	1
14	C 24145	SWITCH ASSEMBLY - ignition (includes washer and key)	1
15	C 24329	SPARK PLUG	1

NEUTRAL START SWITCH ACTUATOR

1	C 25536	STRAP - actuator	1
2	C 25537	WIRE - actuator	1
3	C 25538	SPACER	1
4	C 19867	SPRING - compression	1
5	113- 4	BOLT - 1/4" - 20 x 1" hex	1
6	195- 518	WASHER - 1/4"	2
7	195- 525	WASHER - 3/8"	1
8	131- 1180	NUT - lock 1/4" - 20 hex	1




DECALS (English)

REF.	PART NO.	DESCRIPTION	REQ'D
1	321- 5475	DECAL - crown (used S/N 9759204 to 9775910)	1
1	321- 4300	DECAL - crown (used prior to S/N 9759204)	1
2	321- 5733	DECAL - ignition and throttle	1
3	321- 5732	DECAL - "WARNING"	1
4	321- 4625	DECAL - operation	1
5	321- 4304	DECAL - tower, front (used prior to S/N 9759204)	1
6	321- 4301	DECAL - engine enclosure R.H. (shown) (used prior to S/N 9759204)	1
7	321- 4302	DECAL - engine enclosure L.H. (used prior to S/N 9759204)	1
8	321- 4303	DECAL - engine enclosure, top (used prior to S/N 9759204)	1
9	321- 4343	DECAL - mower height adjust	1
10	321- 4346	DECAL - "WARNING" fan (use before S/N 9776118)	1
11	321- 4381	DECAL - "DANGER" blade	1
12	C 12519	DECAL - "NO STEP"	1
13	321- 5095	DECAL - tower, front (used S/N 9759204 and after)	1
14	321- 5092	DECAL - engine enclosure R.H. (shown) (used S/N 9759204 and after) ...	1
15	321- 5093	DECAL - engine enclosure L.H. (used S/N 9759204 and after)	1
16	321- 5094	DECAL - "80 vari driv" (used S/N 9759204 and after)	1
17	321- 5040	MEDALLION - tower, front (used S/N 9759204 and after)	1
18	321- 4974	DECAL - "DANGER" flying debris	1
19	321- 5471	DECAL - chain lubrication.	1
20	321- 6242	DECAL - crown (use S/N 9775910 and after)	1
21	321- 5097	DECAL - "Case" (use S/N 9776118 and after)	1



DECALS (Bilingual)
(French and English)

1	321- 4746	DECAL - crown (use before S/N 9775910)	1
2	321- 4747	DECAL - ignition and throttle	1
3	321- 4766	DECAL - "WARNING"	1
4	321- 4765	DECAL - operation	1
5	NSS	DECAL - tower, front	1
6	NSS	DECAL - engine enclosure R.H. (shown)	1
7	NSS	DECAL - engine enclosure L.H.	1
8	NSS	DECAL - engine enclosure, top	1
9	321- 4755	DECAL - mower height adjust	1
10	321- 4748	DECAL - fan "WARNING" (use before S/N 9776118)	1
11	321- 4763	DECAL - "CAUTION" blade	1
12	321- 4726	DECAL - "NO STEP"	1



FRAME AND INSTRUMENT TOWER

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24759	FRAME - main (used S/N 9746098 and after)	1
1	C 24021	FRAME - main (used prior to S/N 9746098)	1
2	C 23349	TOWER - instrument and control	1
3	113- 2	BOLT - 1/4" - 20 x 5/8" hex	4
4	129- 101	NUT - 1/4" - 20 hex	4
5	C 23351	PANEL - instrument	1
6	187- 1334	SCREW - #8 x 1/2" Phillips hd.	6
7	C 23552	CROWN - tower (use before S/N 9775910) shown	1
7	C 25548	CROWN - tower (use S/N 9775910 and after)	1
8	182- 573	SCREW - #10 - 24 x 3/4" pan hd. Phillips	2
9	C 25849	BUMPER - front, rubber	1
10	C 24536	LATCH - spring, rear enclosure (early production)	1
11	182- 573	SCREW - #10 - 24 x 1/2" (early production)	2
12	49567	GROMMET - rubber	1
13	C 24333	PAD - foot, rubber, R.H. (shown) (use before S/N 9776165)	1
13	C 24332	PAD - foot, rubber, L.H. (use before S/N 9776165)	1
13	C 25848	PAD - foot, rubber, R.H. (use S/N 9776165 and after)	1
13	C 25847	PAD - foot, rubber, L.H. (use S/N 9776165 and after)	1
14	C 24529	CUSHION - rear enclosure	2
15	187- 485	SCREW - self tap #1- x 5/8" hex (early production)	4
16	131- 67	NUT - lock #10 - 24 hex	4
17	192- 19	LOCKWASHER - 1/4"	3
18	131- 1102	NUT - lock 1/4" - 20	4





SEAT AND REAR ENGINE ENCLOSURE

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24092	SEAT.....	1
2	113- 120	BOLT - 5/16" - 18 x 1-3/4".....	4
3	C 15410	CUSHION - rubber, seat.....	12
4	195- 2021	WASHER - 5/16" I.D. x 1-1/4" O.D.	4
5	C 25866	ENCLOSURE - engine, rear.....	1
6	187- 485	SCREW - self tap #10 x 5/8" hex (early production)	6
7	C 24093	BUMPER - rear, rubber (early production)	1
8	C 24562	ROD - prop, hood.....	1
9	C 24574	BUSHING - rod, hood prop.....	1
10	195- 518	WASHER - 9/32" I.D. x 5/8" O.D.	1
11	132- 378	PIN - cotter 1/16" x 3/4".....	1
12	C 24091	HINGE - enclosure.....	1
13	C 22023	SPACER - (late production)	4

FRONT AND REAR WHEELS

1	C 24502	WHEEL - front.....	2
2	C 24503	BUSHING - wheel.....	4
3	219- 10	FITTING - lube 1/4" - 28 taper.....	2
4	C 24279	CAP - hub, plastic.....	4
5	C 24505	WHEEL - rear.....	2




STEERING ASSEMBLY

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24100	WHEEL - steering	1
2	138- 143	PIN - steering wheel to shaft	1
3	C 15096	BUSHING - flange, nylon	1
4	C 24189	SHAFT - steering	1
5	C 25588	BUSHING - flange, bronze	1
6	C 24179	GEAR - sector, steering.	1
7	C 24182	BUSHING - flange, bronze	2
8	C 24200	PIN - pivot, sector gear (service part)	1
9	132- 49	PIN - cotter 1/8" x 1-1/8"	1
10	195- 541	WASHER - 5/8"	4

FRONT AXLE

1	C 24178	AXLE - front	1
2	VB 1054	BUSHING - axle pivot.	1
3	113- 410	BOLT - 1/2" - 13 x 1-1/2"	1
4	131- 1182	NUT - lock 1/2" - 13 hex	1
5	C 25846	BUSHING - flange.	4
6	C 23968	SPINDLE - left hand.	1
7	C 23967	SPINDLE - right hand.	1
8	C 24335	BALL JOINT - L.H. thread.	2
9	C 24336	BALL JOINT - R.H. thread.	2
10	129- 289	NUT - jam 3/8" - 24 hex, L.H. thread.	2
11	129- 163	NUT - jam 3/8" - 24 hex.	2
12	113- 208	BOLT - 3/8" - 16 x 1-1/4"	4
13	131- 1181	NUT - lock 3/8" - 16 hex	4
14	C 23964	TIE ROD	2
15	132- 49	PIN - cotter 1/8" x 1-1/8"	4
16	A 30881	WASHER	4




STEERING ASSEMBLY

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24100	WHEEL - steering	1
2	138- 143	PIN - steering wheel to shaft	1
3	C 15096	BUSHING - flange, nylon	1
4	C 24189	SHAFT - steering	1
5	C 25588	BUSHING - flange, bronze	1
6	C 24179	GEAR - sector, steering.	1
7	C 24182	BUSHING - flange, bronze	2
8	C 24200	PIN - pivot, sector gear (service part)	1
9	132- 49	PIN - cotter 1/8" x 1-1/8"	1
10	195- 541	WASHER - 5/8"	4


FRONT AXLE

1	C 24178	AXLE - front	1
2	VB 1054	BUSHING - axle pivot.	1
3	113- 410	BOLT - 1/2" - 13 x 1-1/2"	1
4	131- 1182	NUT - lock 1/2" - 13 hex	1
5	C 25846	BUSHING - flange.	4
6	C 23968	SPINDLE - left hand.	1
7	C 23967	SPINDLE - right hand.	1
8	C 24335	BALL JOINT - L.H. thread.	2
9	C 24336	BALL JOINT - R.H. thread.	2
10	129- 289	NUT - jam 3/8" - 24 hex L.H. thread.	2
11	129- 163	NUT - jam 3/8" - 24 hex	2
12	113- 208	BOLT - 3/8" - 16 x 1-1/4"	4
13	131- 1181	NUT - lock 3/8" - 16 hex	4
14	C 23964	TIE ROD	2
15	132- 49	PIN - cotter 1/8" x 1-1/8"	4
16	A 30881	WASHER	4




TRAVEL CONTROL

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 25550	LEVER - travel control (use S/N 9775910 and after)	1
1	C 24451	LEVER - travel control (use before S/N 9775910)	1
2	A 37247	KNOB - travel control lever	1
3	353- 442	BUSHING - nylon (use before S/N 9775910)	1
4	C 12093	BUSHING - split, nylon (used prior to S/N 9759204)	1
4	C 25229	BEARING - flange (used S/N 9759204 and after)	1
5	195- 533	WASHER	2
6	C 24669	SPRING - control lever	1
7	138- 96	PIN - roll 3/16" x 1 "	2
8	C 24165	ARM - travel control (service part)	1
9	113- 208	BOLT - 3/8" - 16 x 1-1/4" hex	1
10	195- 103	WASHER - 3/8"	1
11	131- 1181	NUT - lock 3/8" - 16 hex.	1
12	C 24151	ROD - control (arm to pivot plate)	1
13	C 24336	BALL JOINT - control rod, R.H. thread	1
14	129- 163	NUT - jam 3/8" - 24 hex	1
15	141- 4	PIN - clevis.	1
16	132- 321	PIN - cotter 3/32" x 1"	1
17	C 24401	LOCATOR - travel control	1
18	113- 103	BOLT - 5/16" - 18 x 1" hex	2
19	195- 521	WASHER - 5/16"	2
20	131- 176	NUT - lock 5/16" - 18 hex.	2
21	192- 21	LOCKWASHER - 3/8"	2




TRANSMISSION DRIVE PIVOT

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24342	BELT - traction drive	1
2	C 23765	PULLEY - engine	1
3	14- 712	BOLT - 7/16" - 20 x 3/4" hex	1
4	192- 22	LOCK WASHER - 7/16"	1
5	C 24480	BUSHING - flange	1
6	D 23191	SNAP RING - external	1
7	C 24153	PLATE - pivot	1
8	C 24160	PLATE - slide, pivot plate.	1
9	113- 118	BOLT - 5/16" - 18 x 5/8" hex	3
10	131- 176	NUT - lock 5/16" - 18 hex	7
11	C 22931	ARM - idler.	1
12	195- 522	WASHER - 3/8"	1
13	C 17203	BUSHING - sleeve.	1
14	131- 1181	NUT - lock 3/8" - 16 hex	2
15	C 24321	SPRING - idler arm.	1
16	C 17213	PULLEY - idler, "V" belt	1
17	113- 209	BOLT - 3/8" - 16 x 1-1/2" hex.	1
18	C 24128	PULLEY AND SHAFT ASSEMBLY - disc drive	1
19	C 24193	DISC - friction drive	1
20	C 12975	WASHER	1
21	111- 215	BOLT - 5/16" x 3/4" round head, square neck	4
22	A 70280	BEARING - roller.	2
23	C 23818	FLANGETTE.	2
24	A 30881	WASHER	1



FLANGETTES MOUNT TO INSIDE OF GEAR CASE




DRIVE SHAFT ASSEMBLY
(PRIMARY DRIVE)
 (USED PRIOR TO S/N 9759204)

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 23984	SHAFT - primary drive	1
2	C 22891	WHEEL - friction drive	1
3	C 24459	FLANGE - friction wheel	1
4	113- 102	BOLT - 5/16" - 18 x 3/4" hex.	5
5	131- 176	NUT - lock 5/16" - 18 x 3/4" hex.	5
6	138- 2055	PIN - spirol 3/16" x 1-1/2"	1
7	C 14419	BEARING AND LOCKING COLLAR ASSEMBLY - includes set screw	2
8	C 15514	FLANGETTE - bearing	4
9	111- 202	BOLT - 5/16" - 18 x 3/4" rd. hd. sq. neck	4
10	131- 176	NUT - lock 5/16" - 18 hex	4


DRIVE SHAFT ASSEMBLY
(PRIMARY DRIVE)

USED S/N 9759204 AND AFTER

1	C 25096	SHAFT - primary drive	1
2	C 22891	WHEEL - friction drive	1
3	C 24459	FLANGE - friction wheel mounting	1
4	113- 102	BOLT - 5/16" - 18 x 3/4" hex.	5
5	131- 176	NUT - lock 5/16" - 18 hex	5
6	138- 2055	PIN - spirol 3/16" x 1-1/2"	1
7	C 25097	SPACER - short	1
8	C 25098	SPACER - long	1
9	113- 205	BOLT - 3/8" - 16 x 5/8" hex.	1
10	D 33544	WASHER	1
11	A 70280	BEARING - 3/4" bore.	2
12	C 23818	FLANGETTE - bearing	1
13	111- 215	BOLT - 5/16" - 18 x 3/4" hex, round head, square neck	4
14	131- 176	NUT - lock 5/16" - 18 hex	4
15	C 10822	WASHER - 3/4" x 1-1/4"	2
16	C 25095	SPROCKET - drive	1



L.H. FLANGETTE MOUNTS TO OUTSIDE OF GEAR CASE
R.H. FLANGETTE MOUNTS TO INSIDE OF GEAR CASE



JACKSHAFT ASSEMBLY
(INTERMEDIATE DRIVE)
 (USED S/N 9759204 AND AFTER)

REF.	PART NO.	DESCRIPTION	REQ'D.
1	C 25087	SPROCKET ASSEMBLY - intermediate drive	1
2	C 25086	ARM - idler (upper)	1
3	C 25085	ARM - idler (lower)	1
4	G 49402	WASHER - shim.	2
5	C 25091	BUSHING - sleeve	1
6	C 24373	BEARING - flange	2
7	C 22967	SPROCKET - idler	2
8	195- 522	WASHER - 3/8"	2
9	132- 333	PIN - cotter 1/8" x 5/8"	2
10	C 25092	BEARING - 9/16" bore	1
11	C 25093	SPACER - bearing raceway	1
12	113- 252	BOLT - 3/8" - 16 x 3-3/4" hex	1
13	131- 1181	NUT - lock 3/8" - 16 hex	1
14	C 24225	SPRING - torsion, idler arms	1

JACK SHAFT ASSEMBLY
(INTERMEDIATE DRIVE)
 (USED PRIOR TO S/N 9759204)


1	C 22883	JACKSHAFT - intermediate drive	1
2	C 15385	BEARING AND LOCKING COLLAR ASSEMBLY - includes set screw. . .	2
3	C 15386	FLANGETTE - bearing	4
4	C 15151	WASHER - thrust 5/8"	1
5	195- 2069	WASHER - spacer 5/8"	1
6	111- 108	BOLT - 1/4" - 20 x 3/4" rd. head, sq. neck	4
7	131- 1102	NUT - lock 1/4" - 20 hex	4
8	C 24209	ARM - idler (lower)	1
9	C 24210	ARM - idler (upper)	1
10	R 30880	BUSHING - sleeve	2
11	C 24225	SPRING - torsion, idler arms	1
12	C 22967	SPROCKET - idler	2
13	C 24373	BUSHING - flange	2
14	195- 522	WASHER - 3/8"	2
15	132- 333	PIN - cotter 1/8" x 5/8"	2

REAR AXLE

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 23760	DIFFERENTIAL ASSEMBLY	1
2	C 24277	SPROCKET - drive, differential	1
3	C 25149	BOLT - 5/16" - 18 x 1" hex, Whiz Loc	4
4	C 25200	BEARING AND RETAINER ASSEMBLY	2
5	131- 176	NUT - lock 5/16" - 18 hex	6
6	126- 19	KEY - wood ruff 3/16" x 7/8"	2
7	NSS	BEARING - pillow block (use item 4)	2
8	113- 118	BOLT - 5/16" - 18 x 5/8"	6
9	131- 1102	NUT - 1/4" - 20 hex lock	1
10	NSS	SLEEVE - spacer	2
11	A 30881	WASHER - spacer	UAR
12	T 25683	RING - snap	2
13	C 25908	GUARD - chain	1
14	113- 1	BOLT - 1/4" - 20 x 1/2" hex	3
15	195- 518	WASHER - 1/4"	2
16	NSS	PLATE - spacer	1
17	192- 19	LOCKWASHER - 1/4"	2
18	131- 911	NUT - flange lock 5/16" - 18 hex	4



DRIVE CHAIN

1	NSS	CHAIN - #35 (primary drive to intermediate drive) 56 pitches	1
	B 17095	CHAIN - #35 (50 pitches) includes connector link	1
	B 17097	CHAIN - #35 (6 pitches) includes connector link	1
2	C 25094	CHAIN - #35 (intermediate drive to rear axle) 106 pitches	1
3	PT 2762-S	CONNECTOR LINK - #35 (link shown as intermediate chain application) ..	2



CLUTCH AND BRAKE

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24112	LEVER - clutch/brake assembly	1
2	C 24345	PAD - foot, rubber	1
3	C 12127	BUSHING - flange, nylon (press into chassis)	2
4	C 14966	BOLT - shoulder	1
5	131- 1181	NUT - lock 3/8" - 16 hex	3
6	C 24551	BRACKET - parking brake	1
7	195- 518	WASHER - 1/4"	2
8	132- 6	PIN - cotter 1/16" x 5/8"	3
9	C 24753	ROD - brake adjust	1
10	131- 1102	NUT - lock 1/4" - 20 hex	1
11	C 24565	SPRING - brake rod	1
12	129- 101	NUT - 1/4" - 20 hex	2
13	C 24568	HANDLE - parking brake	1
14	195- 513	WASHER - 3/16"	1
15	C 24749	ARM - brake (service part)	1
16	D 47251	PIN - clevis	1
17	132- 310	PIN - cotter 1/8" x 1"	3
18	C 25555	LINK - clutch	1
19	195- 525	WASHER - 3/8"	3
20	C 16379	SPRING - brake return	1
21	C 12045	SLEEVE - roller	1
22	113- 208	BOLT - 3/8" - 16 x 1-1/4"	1
23	C 24200	PIN - pivot	1
24	132- 49	PIN - cotter 1/8" x 1-1/8"	1
25	C 25083	HOUSING - chain and gears (used S/N 9759204 and after)(service part)	1
26	C 24182	BUSHING - flange (use S/N 9775430 and after)	2
26	C 25927	BUSHING - flange, heavy duty (use before S/N 9775430)	2
27	C 24336	BALLJOINT	1
28	129- 163	NUT - jam 3/8 - 24 hex	1
29	C 24746	HOUSING - chain and gears (used prior to S/N 9759204)	1





MOWER DRIVE CONTROL

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24452	LEVER - mower drive	1
2	A 37247	KNOB - lever, mower drive.	1
3	353- 442	BUSHING - crown (use before S/N 9775910)	1
4	138- 96	PIN - roll 3/16" x 1"	2
5	195- 533	WASHER - 1/2"	3
6	C 24669	SPRING - return.	1
7	C 12093	BUSHING - fliplock, nylon (used prior to S/N 9759204)	1
7	C 25229	BEARING - flange (used S/N 9759204 and after)	1
8	C 24170	ARM - control, rod (service part)	1
9	NSS	ROD - control (order items 12, 13, 14, 15 and 16 prior to S/N 9745719) . .	1
10	195- 525	WASHER - 3/8"	4
11	132- 310	PIN - cotter 1/8" x 1"	2
12	213- 4	CLEVIS - 3/8"	1
13	141- 4	PIN - clevis	1
14	132- 321	PIN - cotter 3/32" x 1"	1
15	129- 163	NUT - jam 3/8" - 24 hex.	1
16	C 24684	ROD - control (used S/N 9745719 and after)	1

MOWER HEIGHT AND LIFT CONTROL

1	C 24253	LEVER - adjust	1
2	A 37247	KNOB - adjust lever.	1
3	C 24377	WASHER	1
4	C 15564	SPRING - return	1
5	C 24400	SLEEVE - lever stop	1
6	138- 91	PIN - roll 3/16" x 11/16"	1
7	C 24375	SHAFT - lift pivot.	1
8	C 24528	ARM - lift (L.H. side mounts in reverse)	2
9	138- 2071	PIN - spirol	2
10	C 24522	LINK - lift.	2
11	195- 525	WASHER - 3/8"	4
12	132- 310	PIN - cotter 1/8" x 1"	4
13	C 24344	BOLT - "J" link adjust	2
14	131- 1181	NUT - lock 3/8" - 16 hex	4
15	195- 2063	WASHER - shim	UAR



MOWER DECK


(use S/N 9775910 and after)

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 25596	DECK - mower 30"	1
2	C 24455	WHEEL - anti-scalp	2
3	C 16745	BOLT - shoulder	2
4	131- 1181	NUT - lock 3/8" hex	6
5	C 25575	CHUTE	1
6	111- 215	BOLT - carriage 5/16" - 18 x 3/4"	2
7	192- 20	LOCK WASHER - 5/16"	2
8	129- 102	NUT - 5/16" - 18 hex.	2
9	C 25551	LINK - connecting, L.H., front (shown).	1
9	C 25552	LINK - connecting, R.H., front	1
10	C 25554	LINK - connecting, rear	2
11	132- 320	PIN - cotter, 3/16" x 3/4"	6
12	195- 525	WASHER - 3/8"	6
13	C 24314	BOLT - "J" level adjust	2
14	132- 310	PIN - cotter 1/8" x 1"	1
15	C 24268	BRACKET - pivot	1
16	113- 118	BOLT - 5/16" - 18 x 5/8"	1
17	131- 176	NUT - 5/16" - 18 lock	1
18	113- 4	BOLT - 1/4" - 20 x 1"	2
19	195- 518	WASHER - 1/4"	2
20	131- 1180	NUT - lock, 1/4" - 20	2

MOWER DECK

(use before S/N 9775910)

1	NSS	DECK - mower 30" (use C25596 deck and C24268 bracket, see above) . . .	1
2	C 24455	WHEEL - anti-scalp	2
3	C 16745	BOLT - shoulder	2
4	131- 1181	NUT - lock 3/8" hex	6
5	C 24312	CHUTE	1
6	111- 217	BOLT - carriage 5/16" - 18 x 5/8"	2
7	192- 20	LOCKWASHER - 5/16"	2
8	129- 102	NUT - 5/16" - 18 hex.	2
9	C 24238	LINK - connecting (L.H. front shown).	2
9	C 24681	LINK - connecting R.H. front (mounts from outside)	2
10	C 24234	LINK - connecting (rear) (R.H. side mounts in reverse)	2
11	132- 321	PIN - cotter 3/16" x 1"	8
12	195- 525	WASHER - 3/8"	8
13	C 24314	BOLT - "J" level adjust	2



MOWER DRIVE ASSEMBLY

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24757	ARM - clutching	1
2	C 22966	BOLT - shoulder (use before S/N 9776017)	1
3	131- 1181	NUT - lock 3/8" - 16 hex	2
4	C 23542	PULLEY - "backside" idler	1
5	113- 233	BOLT - 3/8" - 16 x 1-3/4" hex	1
6	195- 136	WASHER - 3/8"	1
7	C 24081	SPRING - tension	1
8	C 24349	BELT - mower drive	1
9	C 24265	PULLEY AND SPINDLE ASSEMBLY - mower drive (used prior to S/N 9746098)	1
9	C 24737	PULLEY AND SPINDLE ASSEMBLY - mower drive (used S/N 9746098 and after)	1
10	C 10942	WASHER - spacer	1
11	C 10822	WASHER - spindle	1
12	A 70280	BEARING	2
13	A 63279	RING - retaining	2
14	C 24264	SPACER - bearing (used prior to S/N 9746098)	1
14	C 24916	SPACER - bearing (used S/N 9746098 and after)	1
15	C 25542	ADAPTOR - blade	1
16	C 23408	BLADE - mower (use in Europe)	1
16	C 24686	BLADE - mower, high lift (use in U.S.A.)	1
17	195- 2037	WASHER - 7/16" x 2"	1
18	192- 21	LOCKWASHER - 3/8"	4
19	113- 268	BOLT - 3/8" - 16 x 1" hex (torque 40 to 43 lb. ft. - 54 to 58 Nm)	1
20	C 24229	HOUSING - spindle (used prior to S/N 9746098)	1
20	C 24740	HOUSING - spindle (used S/N 9746098 and after)	1
21	113- 206	BOLT - 3/8" - 16 x 3/4" hex	3
22	C 24850	GUIDE - belt	1
23	C 25122	GUIDE - belt, idler pulley	1
24	C 25544	SHIELD - bearing (late production)	1

WARNING


SPINNING BLADE

SEE OPERATOR'S MANUAL BEFORE
ATTEMPTING TO CLEAR PLUGGED
DISCHARGE CHUTE.
CONTACT WITH BLADE CAN RESULT IN
SERIOUS INJURY.

CAUTION

FLYING DEBRIS

1. DO NOT RAISE COVER WHILE OPERATING.
2. PROPERLY INSTALL BAGGER AND CHUTE
BEFORE STARTING MOWER. SEE OPER-
ATOR'S MANUAL FOR FURTHER
INSTRUCTIONS.




M91 BAGGER ATTACHMENT

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 24414	BRACKET - mounting L.H.	1
2	C 24413	BRACKET - mounting R.H.	1
3	C 24479	FRAME - support (early production req's [4] C25114)	1
4	113- 103	BOLT - 5/16" - 18 x 1"	2
5	131- 176	NUT - lock 5/16 - 18 hex.	9
6	195- 521	WASHER - 5/16"	5
7	C 24685	COVER - also includes items 24 and 25 (early production req's [4] C25114)	1
8	C 24610	SEAL - chute.	1
9	NSS	HINGE - cover	1
10	151- 88	RIVET - 3/16" x 5/16"	17
11	C 25114	SPRINGWASHER - Belleville	4
12	C 24482	HOPPER	1
13	C 24517	SUPPORT - hopper	2
14	C 24532	BRACKET - hopper R.H.	1
15	C 24533	BRACKET - hopper L.H.	1
16	182- 523	SCREW - #10 - 32 x 7/8"	8
17	131- 47	NUT - lock #10 - 32 hex	8
18	C 24692	CHUTE EXTENSION ASSEMBLY - upper	1
19	C 24597	CHUTE EXTENSION - lower	1
20	C 24514	PLATE - chute mounting.	1
21	C 24492	PIN ASSEMBLY - mounting	1
22	111- 202	BOLT - 5/16" - 18 x 3/4"	3
23	113- 102	BOLT - 5/16 - 18 x 3/4"	4
24	321- 2576	DECAL - "Case"	1
25	321- 4446	DECAL - "Caution" debris (English)	1
25	321- 4761	DECAL - "CAUTION" debris (Bilingual, French and English)	1
26	321- 4447	DECAL - "Warning" spinning blade (English)	1
26	321- 4750	DECAL - "WARNING" spinning blade (Bilingual, French and English)	1

M93 REAR STAND KIT

1	C 24414	BRACKET - mounting L.H.	1
2	C 24413	BRACKET - mounting R.H.	1
5	131- 176	NUT - lock 5/16" - 18 hex	4
23	113- 102	BOLT - 5/16" - 18 x 3/4" hex.	4



THATCHER ATTACHMENT

REF.	PART NO.	DESCRIPTION	REQ'D.
1	C 24917	FRAME - thatcher	1
2	C 24921	ROD - mounting, springs and pawls	1
3	113- 122	BOLT - 5/16" - 18 x 1-1/2" hex.	3
4	129- 102	NUT - 5/16" - 18 hex.	3
5	131- 176	NUT - lock, 5/16" - 18.	3
6	C 24924	BRACKET - mounting	1
7	C 24919	ROD - pivot, front	1
8	195- 104	WASHER - 3/8"	2
9	C 10883	PIN - safety	2
10	C 25263	WASHER - (4 on early production)	2
11	C 26109	TINE - spring	25
12	C 24960	CLIP - pawl spacer (early production)	2
13	C 24923	PAWL - lift (early production)	2
14	C 24925	HANDLE - lift	1
15	131- 1180	NUT - lock, 1/4" - 20.	1
16	C 19553	SPRING	1
17	113- 421	BOLT - 1/2" - 13 x 2" hex.	1
18	195- 518	WASHER - 9/32" x 5/8"	1

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.			
	49567	25	12	BR	93771	17	10	BR	292681	11	5
A	15043	13	9	BR	93776	7	83	BR	294606	5	4
A	24509	19	7	BR	93804	7	82	BR	294628	15	1
A	27795	5	35	BR	93808	7	50	BR	294628	19	6
A	30881	33	24	BR	210728	5	32	BR	294628	21	6
A	30881	39	11	BR	211682	11	32	BR	295840	5	17
A	37247	31	2	BR	211712	11	17	BR	295841	5	17
A	37247	43	2	BR	211778	5	43	BR	295962	5	3
A	37247	43	2	BR	211954	11	4	BR	295963	5	11
A	63279	47	13	BR	212286	5	43	BR	298423	5	12
A	70280	33	22	BR	220477	15	7	BR	298968	7	87
A	70280	35	11	BR	220680	7	62	BR	298968	19	17
A	70280	47	12	BR	220865	7	48	BR	298968	21	2
B	17095	39		BR	221535	7	59	BR	299061	15	
B	17097	39		BR	221596	5	28	BR	299096	11	19
BR	22263	11	15	BR	221760	7	65	BR	299500	7	72
BR	23108	11	7	BR	221885	11	14	BR	299577	7	
BR	26018	15	2	BR	221898	5	36	BR	299707	11	18
BR	26157	11	6	BR	221907	7	89	BR	299740	11	24
BR	26828	5	30	BR	221986	11	15	BR	299852	11	31
BR	27750	5	13	BR	221995	11	20	BR	321055	5	5
BR	27590	11	3	BR	222010	11	12	BR	390233	7	93
BR	27803	5	23	BR	222014	11	22	BR	390402	5	20
BR	61760	7	47	BR	222027	11	26	BR	390419	5	24
BR	61760	15	5	BR	222114	5	21	BR	390444	17	3
BR	65704	15	4	BR	222117	5	38	BR	390447	17	6
BR	65906	5	29	BR	222117	15	9	BR	390448	17	8
BR	66068	7	70	BR	222351	7	97	BR	390449	17	7
BR	66538	7	90	BR	222450	7	57	BR	390450	17	9
BR	66554	7	69	BR	222502	7	81	BR	390452	17	6
BR	68546	7	98	BR	222561	7	51	BR	390455	17	8
BR	68838	7	79	BR	222562	7	52	BR	390640	5	1
BR	91920	11	9	BR	222636	7	97	BR	390662	7	56
BR	92284	7	49	BR	222830	5	36	BR	390684	11	23
BR	92659	5	22	BR	230896	11	11	BR	390811	9	10
BR	93042	15	8	BR	230932	11	25	BR	390837	15	5
BR	93113	5	44	BR	231058	5	33	BR	390846	15	8
BR	93158	7	96	BR	260374	15	3	BR	390990	17	7
BR	93163	5	37	BR	260584	7	66	BR	391233	11	13
BR	93211	5	45	BR	260933	5	31	BR	391313	11	13
BR	93211	5	45	BR	260971	7	53	BR	391399	9	13
BR	93323	9	15	BR	261038	5	9	BR	391406	5	40
BR	93357	11	1	BR	261055	5	27	BR	391461	15	2
BR	93381	7	88	BR	261116	11	29	BR	391461	17	2
BR	93381	15	6	BR	261117	7	55	BR	391512	11	16
BR	93410	7	94	BR	261306	7	54	BR	391584	17	5
BR	93496	7	60	BR	270382	11	28	BR	391585	17	3
BR	93499	11	8	BR	270430	5	19	BR	391607	17	5
BR	93536	5	42	BR	270511	11	21	BR	391669	5	16
BR	93572	7	58	BR	270528	9	14	BR	391670	5	16
BR	93572	11	27	BR	270539	9	11	BR	391671	5	16
BR	93583	7	83	BR	270824	5	7	BR	391672	5	16
BR	93585	5	14	BR	270824	9	12	BR	391673	5	15
BR	93622	9	16	BR	270824	11	14	BR	391674	5	15
BR	93630	5	25	BR	270920	7	80	BR	391675	5	15
BR	93704	11	16	BR	280005	5	41	BR	391676	5	15
BR	93723	5	44	BR	280133	7	78	BR	391705	15	7
BR	93735	7	67	BR	292260	5	26	BR	391733	7	61

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
BR 391840	7	77	C 22967	37	7	C 24312	45	5
BR 392004	5	2	C 22967	37	12	C 24314	43	13
BR 392034	7	46	C 23248	19	8	C 24314	45	13
BR 392061	15	3	C 23349	25	2	C 24321	33	15
BR 392134	7	92	C 23351	25	5	C 24329	7	91
BR 392548	5	10	C 23408	47	16	C 24329	19	15
BR 392718	5	18	C 23542	47	4	C 24329	21	15
BR 392744	15	6	C 23552	25	7	C 24332	25	13
BR 392749	15	1	C 23641	9	17	C 24333	25	13
BR 392749	19	16	C 23671	9	1	C 24335	29	8
BR 392749	21	3	C 23760	39	1	C 24336	29	9
BR 392931	15	10	C 23765	33	2	C 24336	31	13
BR 393128	7	95	C 23818	33	23	C 24336	41	27
C 10657	9	28	C 23818	35	12	C 24340	11	2
C 10678	11	30	C 23964	29	14	C 24341	11	5
C 10822	35	15	C 23967	29	7	C 24342	33	1
C 10822	47	11	C 23968	29	6	C 24345	41	2
C 10883	51	9	C 23984	35	1	C 24346	19	13
C 10942	47	10	C 24021	25	1	C 24346	21	13
C 11529	9	2	C 24081	47	7	C 24349	47	8
C 11545	9	3	C 24091	27	12	C 24350	19	12
C 12045	41	21	C 24092	27	1	C 24350	21	12
C 12093	31	4	C 24093	27	7	C 24351	19	7
C 12093	43	7	C 24100	29	1	C 24351	21	7
C 12127	41	3	C 24112	41	1	C 24359	19	2
C 12519	23	12	C 24128	33	18	C 24360	19	5
C 12975	33	20	C 24145	19	14	C 24360	21	5
C 14419	35	7	C 24145	21	14	C 24362	19	1
C 14553	19	11	C 24151	31	12	C 24373	37	6
C 14565	19	4	C 24153	33	7	C 24373	37	13
C 14565	21	4	C 24160	33	8	C 24375	43	7
C 14906	7	75	C 24165	31	8	C 24377	43	3
C 14966	41	4	C 24170	43	8	C 24391	9	7
C 15096	29	3	C 24178	29	1	C 24400	43	5
C 15151	37	4	C 24179	29	6	C 24401	31	17
C 15385	37	2	C 24182	13	8	C 24413	49	2
C 15386	37	1	C 24182	29	7	C 24414	49	1
C 15410	27	3	C 24182	41	26	C 24428	19	3
C 15514	35	3	C 24189	29	4	C 24451	31	1
C 15540	9	18	C 24191	11	12	C 24452	43	1
C 15564	43	4	C 24193	33	19	C 24455	45	2
C 16379	41	20	C 24200	29	8	C 24459	35	3
C 16745	45	3	C 24200	41	23	C 24460	19	9
C 17203	33	13	C 24209	37	8	C 24460	21	9
C 17213	33	16	C 24210	37	9	C 24463	9	8
C 18274	9	31	C 24225	37	11	C 24479	49	3
C 18814	7	74	C 24225	37	14	C 24480	33	5
C 19473	7	74	C 24229	47	20	C 24482	49	12
C 19553	51	16	C 24234	45	10	C 24492	49	21
C 19867	21	4	C 24238	45	9	C 24502	27	1
C 22023	27	13	C 24246	11	1	C 24503	27	2
C 22474	13	4	C 24253	43	1	C 24505	27	5
C 22765	19	10	C 24263	19	1	C 24506	13	3
C 22883	37	1	C 24264	47	14	C 24507	13	1
C 22891	35	2	C 24265	47	9	C 24509	13	6
C 22931	33	11	C 24268	45	15	C 24510	11	9
C 22947	19	15	C 24277	39	2	C 24514	49	20
C 22966	47	2	C 24279	27	4	C 24517	49	13

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
C 24522	43	10	C 25095	35	16	HARDWARE CODE NUMBERS		
C 24528	43	8	C 25096	35	1	11-	312	7 63
C 24529	25	14	C 25097	35	7	14-	712	33 3
C 24532	49	14	C 25098	35	8	41-	24	11 2
C 24533	49	15	C 25114	49	11	61-	410	11 3
C 24536	25	10	C 25122	47	23	111-	108	37 6
C 24551	41	6	C 25125	9	27	111-	202	35 9
C 24562	27	8	C 25144	9	29	111-	202	49 22
C 24565	41	11	C 25146	9	30	111-	215	33 21
C 24568	41	13	C 25149	39	3	111-	215	35 13
C 24572	19	3	C 25200	39	4	111-	215	45 6
C 24574	27	9	C 25229	31	4	111-	217	45 6
C 24597	49	19	C 25229	43	7	111-	256	11 6
C 24610	49	8	C 25263	51	10	113-	1	11 10
C 24619	19	8	C 25393	13	7	113-	1	13 2
C 24656	19		C 25499	21	11	113-	1	19 4
C 24656	21		C 25500	11	17	113-	1	39 14
C 24659	19	9	C 25502	21	1	113-	2	25 3
C 24669	31	6	C 25503	21	8	113-	4	21 5
C 24669	43	6	C 25536	21		113-	4	45 18
C 24681	45	9	C 25537	21	2	113-	101	13 4
C 24684	43	16	C 25538	21	3	113-	102	9 32
C 24685	49	7	C 25542	47	15	113-	102	35 4
C 24686	47	16	C 25544	47	24	113-	102	35 4
C 24689	9	26	C 25548	25	7	113-	103	49 23
C 24692	49	18	C 25550	31	1	113-	103	31 18
C 24737	47	9	C 25551	45	9	113-	103	49 4
C 24740	47	20	C 25552	45	9	113-	111	13 5
C 24746	41	29	C 25554	45	10	113-	118	33 9
C 24749	41	15	C 25555	41	18	113-	118	39 8
C 24753	41	9	C 25575	45	5	113-	118	45 16
C 24754	19	18	C 25588	29	5	113-	120	27 2
C 24755	19	1	C 25596	45	1	113-	122	51 3
C 24757	47	1	C 25846	29	5	113-	205	35 9
C 24759	25	1	C 25847	25	13	113-	206	47 21
C 24780	9	8	C 25848	25	13	113-	208	29 12
C 24782	13	1	C 25849	25	9	113-	208	31 9
C 24800	21	10	C 25859	13	1	113-	208	41 22
C 24850	47	22	C 25866	27	5	113-	209	33 17
C 24916	47	14	C 25908	39	13	113-	233	47 5
C 24917	51	1	C 25927	41	26	113-	252	37 12
C 24919	51	7	C 26109	51	11	113-	268	47 19
C 24921	51	2	D 23191	33	6	113-	410	29 3
C 24923	51	13	D 33544	35	10	113-	421	51 17
C 24924	51	6	D 47251	41	16	121-	106	9 9
C 24925	51	14	D 53521	9	4	121-	106	13 2
C 24960	51	12	D 59949	9	25	126-	19	39 6
C 25030	13	1	G 49402	37	4	129-	6	7 71
C 25059	19	13	H 336909	9	24	129-	7	7 64
C 25059	21	13	L 54225	19	2	129-	13	19 20
C 25083	41	25	PT 2762-S	39	3	129-	17	9 21
C 25085	37	3	R 30880	37	10	129-	17	13 10
C 25086	37	2	T 25683	39	12	129-	27	19 11
C 25087	37	1	VB 1054	29	2	129-	101	19 6
C 25091	37	5				129-	101	25 4
C 25092	37	10				129-	101	41 12
C 25093	37	11						
C 25094	39	2						

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
129- 102	11	8	136- 103	5	34	195- 522	37	8
129- 102	45	8	138- 91	43	6	195- 522	37	14
129- 102	45	8	138- 96	31	7	195- 524	13	7
129- 102	51	4	138- 96	43	4	195- 525	21	7
129- 162	19	13	138- 143	29	2	195- 525	41	19
129- 163	29	11	138- 251	11	10	195- 525	43	10
129- 163	31	14	138- 2055	35	6	195- 525	43	11
129- 163	41	28	138- 2071	43	9	195- 525	45	12
129- 163	43	15	141- 4	31	15	195- 533	31	5
129- 289	29	10	141- 4	43	13	195- 533	43	5
131- 47	49	17	151- 88	49	10	195- 541	29	10
131- 67	25	16	169- 145	19	16	195- 2021	27	4
131- 176	9	23	182- 9	19	19	195- 2037	47	17
131- 176	13	6	182- 523	49	16	195- 2063	43	15
131- 176	31	20	182- 573	9	19	195- 2069	37	5
131- 176	33	10	182- 573	25	8	213- 4	43	12
131- 176	35	5	182- 573	25	11	214- 253	9	5
131- 176	35	5	187- 485	25	15	214- 272	9	6
131- 176	35	10	187- 485	27	6	217- 1027	7	73
131- 176	35	14	187- 1003	19	10	219- 10	27	3
131- 176	39	5	187- 1041	5	39	221- 13	7	76
131- 176	45	17	187- 1041	11	18	321- 2576	49	24
131- 176	49	5	187- 1041	15	10	321- 4300	23	1
131- 176	49	5	187- 1334	25	6	321- 4301	23	6
131- 176	51	5	187- 1908	19	17	321- 4302	23	7
131- 911	39	18	192- 13	19	21	321- 4303	23	8
131- 1102	25	18	192- 18	9	20	321- 4304	23	5
131- 1102	37	7	192- 18	13	8	321- 4343	23	9
131- 1102	39	9	192- 19	11	4	321- 4346	23	10
131- 1102	41	10	192- 19	11	11	321- 4381	23	11
131- 1180	21	8	192- 19	13	3	321- 4446	49	25
131- 1180	45	20	192- 19	19	5	321- 4447	49	26
131- 1180	51	15	192- 19	25	17	321- 4625	23	4
131- 1181	29	13	192- 19	39	17	321- 4726	23	12
131- 1181	31	11	192- 20	11	7	321- 4746	23	1
131- 1181	33	14	192- 20	13	5	321- 4747	23	2
131- 1181	37	13	192- 20	45	7	321- 4748	23	10
131- 1181	41	5	192- 21	31	21	321- 4650	49	26
131- 1181	43	14	192- 21	47	18	321- 4755	23	9
131- 1181	45	4	192- 22	33	4	321- 4761	49	25
131- 1181	45	4	193- 25	7	68	321- 4763	23	11
131- 1181	47	3	193- 26	19	12	321- 4765	23	4
131- 1182	29	4	193- 29	19	14	321- 4766	23	3
132- 6	41	8	193- 70	19	18	321- 4974	23	18
132- 49	29	9	195- 103	31	10	321- 5040	23	17
132- 49	29	15	195- 104	51	8	321- 5092	23	14
132- 49	41	24	195- 136	47	6	321- 5093	23	15
132- 310	41	17	195- 513	41	14	321- 5094	23	16
132- 310	43	11	195- 518	21	6	321- 5095	23	13
132- 310	43	12	195- 518	27	10	321- 5097	23	21
132- 310	45	14	195- 518	39	15	321- 5471	23	19
132- 320	45	11	195- 518	41	7	321- 5475	23	1
132- 321	31	16	195- 518	45	19	321- 5732	23	3
132- 321	43	14	195- 518	51	18	321- 5733	23	2
132- 321	45	11	195- 521	9	22	321- 6242	23	20
132- 333	37	9	195- 521	31	19	353- 406	13	9
132- 333	37	15	195- 521	49	6	353- 442	31	3
132- 378	27	11	195- 522	33	12	353- 442	43	3

casecollecting.com

PRINTED IN U.S.A.