


Models G40 G44 and G46
Rotary Mowers
Parts Catalog

MODEL G40, G44, AND G46 ROTARY MOWER

PRICE 75 CENTS

Parts Catalog No. 1163



MODEL DESIGNATIONS	TRACTOR APPLICATION			
	220	222	442	444
G40	X	X		
G44	X	X	X	X
G46	1	X	X	X
G3 MOUNTING KIT	X	X		
G5 MOUNTING KIT			X	X

1 - WILL FIT BUT NOT RECOMMENDED.

Indexes

This Parts Catalog is arranged for easy identification of Genuine CASE Service Parts. An alphabetical index is provided at the front of this Catalog to locate the major groups or assemblies. A numerical index at the rear of the Catalog gives the part numbers and the pages on which they are described.

Illustrations

All parts are illustrated in "Exploded Views" which show the individual parts in their normal relationship to each other. Reference numbers are used in the illustrations. These numbers correspond to those in the "Reference Number" column and are followed by the part number, description and quantity required.

Orders

Orders should plainly specify correct part number, full description, quantity required, machine model and engine model, machine and engine serial numbers, method of shipment and shipping address.

Changes

When changes to the machine make it necessary, revised pages for this book will be issued. The revised pages will be issued with the same page number as those they replace and the "issue" number and date will be advanced.

It is imperative that revised Parts Book pages be inserted into their respective Parts Books as soon as received. Failure to do so will lead to confusion and defeat the purpose of the book.

Indented Description

Indented parts in the descriptive list are a part of the preceding assembly or sub-assembly. The quantity shown in the "Number Required" column is the number of parts used on a machine except where parts are indented in descriptive list. In this case the quantity shown is the number required for the preceding assembly or sub-assembly.


REF.	PART NO.	DESCRIPTION	REQ'D
	A 55159	CYLINDER ASSY - rear steering	1
28	A 56208	SOCKET ASSY - rear cylinder	1
29	A 55956	PLUG - adjusting, socket assy	1
30	A 55957	SEAT - socket ball.	2
31	A 56210	SPRING - socket	1
32	A 56209	SEAT - socket spring	1
33	G 45175	CLAMP ASSY - socket assy.	1
	16- 836	BOLT - 1/2" x 2-1/4" N.F.hex.	1
34	132- 104	PIN - cotter, 3/16" x 3".	1
35	A 55889	STUD - ball, socket & cylinder	2
36	13- 410	BOLT - 1/4" x 5/8" N.C., hex.	4
37	92- 4	LOCKWASHER - 1/4" SAE	4

Terms "Right Hand" and "Left Hand"

"Right Hand" and "Left Hand" sides of this machine are determined by standing at the rear of the unit and facing in the direction of forward travel.

ALPHABETICAL INDEX

	Page
Axle, G40 & G44	9
Axle, G46	13
Belts, deck	5
Belts, drive	5
Blades, G40 & G44	7
Blades, G46	11
Decks	5
Drive assembly	9-13
Guards & Covers	5
Housing, spindle	7-11
Lift assembly	9-13
Pulleys, G40 & G44	7
Pulleys, G46	11
Rollers, rubber	5
Rods, adjusting	9-13
Spindles	7-11
Wheels, gauge	9-13




CASE MODEL G40, G44, AND G46 ROTARY MOWERS 5

DECK, BELTS AND DECK COVERS

MODELS G40, G44, AND G46

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 15575	DECK - mower, G40 (38")	1
1	C 15620	DECK - mower, G44 (44")	1
1	C 15592	DECK - mower, G46 (48")	1
2	C 16093	BELT - mower deck, G40	1
2	C 16094	BELT - mower deck, G44	1
2	C 14965	BELT - mower deck, G46	1
3	C 15679	GUARD - deck belt, G40	1
3	C 15680	GUARD - deck belt, G44	1
3	C 15681	GUARD - deck belt, G46	1
4	C 15675	COVER - deck, small	1
5	187- 1036	SCREW - 1/4" x 1/2" NC hex self-tapping	8
6	C 15640	BAR - safety, G40	1
6	C 15639	BAR - safety, G44	1
6	C 15634	BAR - safety, G46	1
7	113- 102	BOLT - 5/16" x 3/4" NC hex ZP	2
8	192- 20	LOCKWASHER - 5/16" ZP	4
9	129- 102	NUT - 5/16" NC hex ZP	4
10	A 70514	ROLLER - 2-1/2" x 2-3/8"	2
11	195- 108	WASHER - 5/8" ZP	2
12	132- 310	PIN - cotter 1/8" x 1"	2
13	C 14892	SHAFT - rear roller	2
14	111- 317	BOLT - 3/8" x 1" NC rd. hd. square neck	2
15	192- 21	LOCKWASHER - 3/8" ZP	2
16	129- 103	NUT - 3/8" NC hex ZP	2
17	C 15562	BRACKET - axle pivot, G40	1
17	C 15560	BRACKET - axle pivot, G44	1
17	C 15561	BRACKET - axle pivot, G46	1
18	111- 202	BOLT - 5/16" x 3/4" rd. hd. square neck	2
19	C 15935	BRACKET - height adj.	1
20	C 15944	BELT - drive, G40	1
20	C 16088	BELT - drive (use with G44 & G46 on 220 & 222 tractors)	1
20	C 15943	BELT - drive (use with G44 & G46 on 442 & 444 tractors)	1
	321- 1571	DECAL - "CASE"	1
	A 70404	DECAL - CAUTION SPINNING BLADE	2
	C 12519	DECAL - "NO STEP"	2
	C 15956	DECAL - height adjust	1
	C 15678	DECAL - safety	1





7

CASE MODEL G40, G44, AND G46 ROTARY MOWERS

PULLEYS, BLADES AND SPINDLES

MODELS G40 AND G44

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10807	HOUSING - mower spindle	3
2	A 10280	BEARING - spindle	6
3	C 10822	WASHER - bearing seal	6
4	C 10942	WASHER - mower spindle	3
5	126- 19	KEY - spindle, #11 Woodruff	4
6	C 15763	SPINDLE - outboard	2
7	C 15604	SPINDLE - center	1
8	C 12261	BLADE - 14" (G40)	3
8	C 12262	BLADE - 15-1/2" (G44)	3
9	115- 206	BOLT - 3/8" x 5/8" NC hex (grade 5)	6
10	92- 6	LOCKWASHER - 3/8"	18
11	C 10810	SPACER - bearing	3
12	C 15617	PULLEY - outboard	3
13	131- 152	NUT - jam lock 3/4" NF hex	3
14	15- 612	BOLT - 3/8" x 3/4" NC hex	12
15	C 15963	PULLEY - drive	1
16	C 12251	PULLEY - deck idler	1
17	C 14731	BRACKET - idler	1
18	111- 317	BOLT - 3/8" x 1" rd. hd. Square neck	1
19	195- 530	WASHER - 1/2" ZP	1
20	C 14768	SPACER - idler bracket	1
21	195- 525	WASHER - 3/8" ZP	2
22	131- 178	NUT - lock 3/8" NC hex	2
23	C 14482	SPRING - idler	1




DRIVE ASSEMBLY

MODELS G40 AND G44

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10463	PULLEY - idler drive	2
2	C 12264	BUSHING - idler pulley	1
3	C 12249	SPACER - idler pulley	1
4	C 12256	BRACKET - pivot R.H.	1
5	C 15930	BRACKET ASSEMBLY	1
6	C 15962	BELLCRANK	1
7	C 15931	SPACER - bellcrank	1
8	C 12236	SPACER - bracket assembly	2
9	113- 267	BOLT - 3/8" x 4" NC hex ZP	1
10	113- 259	BOLT - 3/8" x 4-1/2" NC hex ZP	1
11	131- 178	NUT - lock 3/8" NC hex ZP.	2
12	193- 30	LOCKWASHER - 3/8" internal tooth	1
13	175- 420	SCREW - 3/8" x 3/4" NC truss hd. mach.	1
14	C 14262	PIVOT - adjusting screw	1
15	C 14264	SCREW - belt tension	1
16	C 14482	SPRING - bellcrank idler	1
17	C 14269	NUT - belt tension	1
18	C 15949	BRACKET - mower mtg. R.H. (For Models 220 & 222)	1
19	C 15950	BRACKET - mower mtg. L.H. (For Models 220 & 222)	1
20	113- 207	BOLT - 3/8" x 1" NC hex ZP	4
21	192- 21	LOCKWASHER - 3/8" ZP	4
22	C 10898	PIN - safety	2
23	C 15953	BRACKET - mower mtg. R.H. (For Models 442 & 444)	1
24	C 15954	BRACKET - mower mtg. L.H. (For Models 442 & 444)	1

AXLE AND LIFT ASSEMBLY



1	C 15600	AXLE - rear (G40)	1
1	C 15602	AXLE - rear (G44)	1
2	C 14932	BRACKET - center, axle mounting	1
3	187- 1036	SCREW - 1/4" x 1/2" NC hex self-tapping	2
4	C 15413	WHEEL - gauge	2
5	C 15412	STUD - gauge wheel	2
6	192- 21	LOCKWASHER - 3/8"	2
7	129- 103	NUT - 3/8" NC hex	2
8	C 14933	"J" BOLT	2
9	195- 533	WASHER - 1/2" ZP	10
10	131- 165	NUT - lock 1/2" ZP	4
11	132- 310	PIN - cotter 1/8" x 1"	4
12	C 15613	FRAME - mower lift	1
13	C 15614	LINK - lift	1
14	C 10482	SPRING	1
15	C 15942	PIN - locking	1
16	138- 77	PIN - roll	1
17	C 15618	KNOB - height adjust.	1
18	11- 516	BOLT - 5/16" x 1" NC rd. hd. square neck	1
19	C 14768	SPACER	1
20	G 49048	WASHER - 5/16" x 1-1/4"	1
21	131- 176	NUT - lock 5/16" NC hex	1
22	C 15761	ROD - lift (use with 220 and 222 tractors)	2
22	C 15762	ROD - lift (use with 442 and 444 tractors)	2
23	C 10898	PIN - safety	1
24	C 15935	BRACKET - height adj.	1
25	138- 92	PIN - roll 3/16" x 3/4"	1



PULLEYS, BLADES AND SPINDLES

MODEL G46

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10807	HOUSING - mower spindle	3
2	A 70280	BEARING - spindle	6
3	C 10822	WASHER - bearing seal	6
4	C 10942	WASHER - mower spindle	3
5	126- 19	KEY - spindle, #11 Woodruff	4
6	C 15763	SPINDLE - outboard	2
7	C 15604	SPINDLE - center	1
8	C 14886	BLADE - 17" outboard	2
9	115- 206	BOLT - 3/8" x 5/8" NC hex (grade 5)	6
10	92- 6	LOCKWASHER - 3/8"	18
11	C 10810	SPACER - bearing	3
12	C 15617	PULLEY - outboard	2
13	131- 152	NUT - jam lock 3/4" NF hex	3
14	15- 612	BOLT - 3/8" x 3/4" NC hex	12
15	C 15615	PULLEY - drive	1
16	C 12251	PULLEY - deck idler	1
17	C 14731	BRACKET - idler	1
18	111- 317	BOLT - 3/8" x 1" rd. hd. square neck	1
19	195- 530	WASHER - 1/2" ZP	1
20	C 14768	SPACER - idler bracket	1
21	195- 525	WASHER - 3/8" ZP	2
22	131- 178	NUT - lock 3/8" NC hex	2
23	C 14482	SPRING - idler	1
24	C 14885	BLADE - 16" center	1
25	C 15616	PULLEY - center	1



DRIVE ASSEMBLY

MODEL G46

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10463	PULLEY - idler drive	2
2	C 12264	BUSHING - idler pulley	1
3	C 12249	SPACER - idler pulley	1
4	C 12256	BRACKET - idler R.H.	1
5	C 15930	BRACKET ASSEMBLY	1
6	C 15962	BELLCRANK	1
7	C 15931	SPACER - bellcrank	1
8	C 12236	SPACER - bracket assembly	2
9	113- 267	BOLT - 3/8" x 4" NC hex ZP	1
10	113- 259	BOLT - 3/8" x 4" NC hex ZP	1
11	131- 178	NUT - lock 3/8" NC hex ZP	2
12	193 30	LOCKWASHER - 3/8" internal tooth	1
13	175- 420	SCREW - 3/8" x 3/4" NC truss hd. mach.	1
14	C 14262	PIVOT - adjusting screw	1
15	C 14264	SCREW - belt tension	1
16	C 14482	SPRING - bellcrank idler	1
17	C 14269	NUT - belt tension	1
18	C 15953	BRACKET - mower mtg. R.H. (For models 442 and 444)	1
19	C 15954	BRACKET - mower mtg. L.H. (For models 442 and 444)	1
20	113- 207	BOLT - 3/8" NC hex ZP	4
21	192- 21	LOCKWASHER - 3/8" ZP	4
22	C 10898	PIN - safety	2
23	C 15949	BRACKET - mower mtg. R.H. (For models 220 and 222)	1
24	C 15950	BRACKET - mower mtg. R.H. (For models 220 and 222)	1

AXLE AND LIFT ASSEMBLY

1	C 15619	AXLE - rear	1
2	C 14932	BRACKET - center, axle mtg.	2
3	187- 1036	SCREW - 1/4" x 1/2" NC hex self-tapping	4
4	C 14964	WHEEL - gauge	2
5	C 14966	STUD - gauge wheel	2
6	192- 21	LOCKWASHER - 3/8"	2
7	129- 103	NUT - 3/8" NC hex	2
8	C 14933	"J" BOLT	2
9	195- 533	WASHER - 1/2" ZP	18
10	131- 165	NUT - lock 1/2" ZP	4
11	132- 310	PIN - cotter 1/8" x 1"	4
12	C 15613	FRAME - mower lift	1
13	C 15614	LINK - lift	1
14	C 10482	SPRING	1
15	C 15942	PIN - locking	1
16	138- 77	PIN - roll	1
17	C 15618	KNOB - height adjust	1
18	11- 516	BOLT - 5/16" x 1" NC rd. hd. square neck	1
19	C 14768	SPACER	1
20	G 49048	WASHER - 5/16" x 1-1/4"	1
21	131- 176	NUT - lock 5/16" NC hex	1
22	C 15761	ROD - lift (use with 222 tractor)	2
22	C 15762	ROD - lift (use with 442 and 444 tractors)	2
23	C 10898	PIN - safety	2
24	C 15935	BRACKET - height adj.	1
25	138- 92	PIN - roll 3/16" x 3/4"	1

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
A 70280	7	2	C 15562	5	17	15-	612	7 14
A 70280	11	2	C 15575	5	1	15-	612	11 14
A 70404	5		C 15592	5	1	92-	6	7 10
A 70514	5	10	C 15600	9	1	92-	6	11 10
C 10463	9	1	C 15602	9	1	111-	202	5 18
C 10463	13	1	C 15604	7	7	111-	317	5 14
C 10482	9	14	C 15604	11	7	111-	317	7 18
C 10482	13	14	C 15613	9	12	111-	317	11 18
C 10807	7	1	C 15613	13	12	113-	102	5 7
C 10807	11	1	C 15614	9	13	113-	207	9 20
C 10810	7	11	C 15614	13	13	113-	207	13 20
C 10810	11	11	C 15615	11	15	113-	259	9 10
C 10822	7	3	C 15616	11	25	113-	259	13 10
C 10822	11	3	C 15617	7	12	113-	267	9 9
C 10898	9	22	C 15617	11	12	113-	267	13 9
C 10898	9	23	C 15618	9	17	115-	206	7 9
C 10898	13	22	C 15618	13	17	115-	206	11 9
C 10898	13	23	C 15619	13	1	126-	19	7 5
C 10942	7	4	C 15620	5	1	126-	19	11 5
C 10942	11	4	C 15634	5	6	129-	102	5 9
C 12236	9	8	C 15639	5	6	129-	103	5 16
C 12236	13	8	C 15640	5	6	129-	103	9 7
C 12249	9	3	C 15675	5	4	129-	103	13 7
C 12249	13	3	C 15678	5		131-	152	7 13
C 12251	7	16	C 15679	5	3	131-	152	11 13
C 12251	11	16	C 15680	5	3	131-	165	9 10
C 12256	9	4	C 15681	5	3	131-	165	13 10
C 12256	13	4	C 15761	9	22	131-	176	9 21
C 12261	7	8	C 15761	13	22	131-	176	13 21
C 12262	7	8	C 15762	9	22	131-	178	7 22
C 12264	9	2	C 15762	13	22	131-	178	9 11
C 12264	13	2	C 15763	7	6	131-	178	11 22
C 12519	5		C 15763	11	6	131-	178	13 11
C 14262	9	14	C 15930	9	5	132-	310	5 12
C 14262	13	14	C 15930	13	5	132-	310	9 11
C 14264	9	15	C 15931	9	7	132-	310	13 11
C 14264	13	15	C 15931	13	7	138-	77	9 16
C 14269	9	17	C 15935	5	19	138-	77	13 16
C 14269	13	17	C 15935	9	24	138-	92	9 25
C 14482	7	23	C 15935	13	24	138-	92	13 25
C 14482	9	16	C 15942	9	15	175-	420	9 13
C 14482	11	23	C 15942	13	15	175-	420	13 13
C 14482	13	16	C 15943	5	20	187-	1036	5 5
C 14731	7	17	C 15944	5	20	187-	1036	9 3
C 14731	11	17	C 15949	9	18	187-	1036	13 3
C 14768	7	20	C 15949	13	18	192-	20	5 8
C 14768	9	19	C 15950	9	19	192-	21	5 15
C 14768	11	20	C 15950	13	19	192-	21	9 6
C 14768	13	19	C 15956	5		192-	21	9 21
C 14885	11	24	C 15962	9	6	192-	21	13 6
C 14886	11	8	C 15962	13	6	192-	21	13 21
C 14892	5	13	C 15963	7	15	193-	30	9 12
C 14932	9	2	C 16088	5	20	193-	30	13 12
C 14932	13	2	C 16093	5	2	195-	108	5 11
C 14933	9	8	C 16094	5	2	195-	525	7 21
C 14933	13	8	G 49048	9	20	195-	525	11 21
C 14964	13	4	G 49048	13	20	195-	530	7 19
C 14965	5	2				195-	530	11 19
C 14966	13	5				195-	533	9 9
C 15412	9	5				195-	533	13 9
C 15413	9	4				321-	1571	5
C 15560	5	17						
C 15561	5	17						

HARDWARE CODE NUMBERS

11-	516	9	18
11-	516	13	18
15-	612	7	14