

*Blackie
Crouse*

CASE



ROTARY MOWERS and DOZER BLADE

USED ON 1965 MODELS

130 and 180 CASE GARDEN TRACTORS


DELUXE—SUPER—SUPER H and RANCHER

COLT GARDEN TRACTORS



J. I. CASE COMPANY
Racine, Wisconsin, U.S.A.

ROTARY MOWERS AND DOZER BLADE



NOTE There is no Serial Number located on the dozer blade.

MOWER AND DOZER DESIGNATIONS	TRACTOR APPLICATION		
	130, Deluxe & Super	180 & Rancher	Super H
38" Rotary Mower	X		
44" Rotary Mower	X		
44" R Rotary Mower		X	
44" H Rotary Mower			X
44" Dozer Blade	X		
44" R Dozer Blade		X	X

Serial Numbers

When using this catalog, notice the reference to serial numbers of various components noted here and listed in the "description" copy. By referring to correct serial numbers, proper parts identification will be assured.

Indexes

This Parts Catalog is arranged for easy identification of Genuine CASE Service Parts. An alphabetical index is provided at the front of this Catalog to locate the major groups or assemblies. A numerical index at the rear of the Catalog gives the part numbers and the pages on which they are described.

Illustrations

All parts are illustrated in "Exploded Views" which show the individual parts in their normal relationship to each other. Reference numbers are used in the illustrations. These numbers correspond to those in the "Reference Number" column and are followed by the part number, description and quantity required.

Orders

Orders should plainly specify correct part number, full description, quantity required, machine model and engine model, machine and engine serial numbers, method of shipment and shipping address.

Changes

When changes to the machine make it necessary, revised pages for this book will be issued. The revised pages will be issued with the same page number as those they replace and the "issue" number and date will be advanced.

It is imperative that revised Parts Book pages be inserted into their respective Parts Books as soon as received. Failure to do so will lead to confusion and defeat the purpose of the book.

Indented Description

Indented parts in the descriptive list are a part of the preceding assembly or sub-assembly. The quantity shown in the "Number Required" column is the number of parts used on a machine except where parts are indented in descriptive list. In this case the quantity shown is the number required for the preceding assembly or sub-assembly.

REF.	PART NO.	DESCRIPTION	REQ'D
	A 55159	CYLINDER ASSY - rear steering	1
28	A 56208	SOCKET ASSY - rear cylinder	1
29	A 55956	PLUG - adjusting, socket assy	1
30	A 55957	SEAT - socket ball	2
31	A 56210	SPRING - socket	1
32	A 56209	SEAT - socket spring	1
33	G 45175	CLAMP ASSY - socket assy	1
	16- 836	BOLT - 1/2" x 2-1/4" N.F.hex.	1
34	132- 104	PIN - cotter, 3/16" x 3"	1
35	A 55889	STUD - ball,socket & cylinder	2
36	13- 410	BOLT - 1/4" x 5/8" N.C.,hex.	4
37	92- 4	LOCKWASHER - 1/4" SAE	4

Terms "Right Hand" and "Left Hand"

"Right Hand" and "Left Hand" sides of this machine are determined by standing at the rear of the unit and facing in the direction of forward travel.


ALPHABETICAL INDEX

MOWER SECTION

	Page		
	130		180
	Deluxe & Super	Super H & Rancher	
	38"	44"	44" R & H
Belts, Drive	7	11	15
Driven	7	11	15
Blades	9	13	17
Clutch	5	5	5
Deck	7	11	15
Guards	7	11	15
Housing, Spindle	9	13	17
Modification Kit No. C11633	---	---	19
Pulleys	7	11	15
Rod, Lift Lever	5	5	5
Rollers, Front	---	---	17
Rear	9	13	17
Spindles	9	13	17

DOZER SECTION

	Page	
	130	180
	Deluxe & Super	Super H & Rancher
Blade	21	21
Carriage	21	21
Edge, Cutting	21	21
Skids	21	21




MOWER CLUTCH LINKAGE

CASE 130-180 GARDEN TRACTORS AND
COLT DELUXE, SUPER, SUPER H, AND RANCHER
COMPACT TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	A 70259	ROD - lift lever (130)	1
1*	A 70491	ROD - lift lever (180) (See C11626)	1
2	195- 106	WASHER - 1/2" plain ZP	2
3	132- 30	PIN - cotter 3/32" x 1-1/4"	2
4	A 70170	GRIP - clutch lever rubber	1
5*	A 70413	LEVER - clutch (See C11379)	1
6	195- 108	WASHER - 5/8" plain ZP	1
7	A 70250	PIN - clutch lever retainer	1
8**	A 70418	SPRING - clutch lever	1
9**	A 70242	BRACKET - clutch lever spring	1
10	A 70245	BRACKET - clutch lever catch	1
11*	A 70324	GUARD - engine pulley belt (See C11381)	1
12	129- 107	NUT - 5/8" N.C. hex ZP	1
13	192- 25	WASHER - 5/8" SAE std. lock ZP	1
14	A 70412	PULLEY - clutch idler	2
15	A 70411	GUIDE - clutch idler belt	1
16	195- 103	WASHER - 5/16" plain ZP	1
17	129- 102	NUT - 5/16" N.C. hex ZP	1
18	192- 20	WASHER - 5/16" SAE std. lock ZP	1
19*	A 70235	BRACKET - clutch idler (See C11378)	1
20	13- 1080	BOLT - 5/8" x 5" N.C. hex	1
21*	113- 103	BOLT - 5/16" x 1" N.C. hex ZP (See C11566)	1

* Refer to pages 18 and 19 if rotary mower has modification kit number C11633 installed.


** Parts indicated are not used on rotary mowers with part number C11633 modification kit installed.



38" ROTARY MOWER

CASE 130 GARDEN TRACTOR AND COLT DELUXE, AND SUPER COMPACT TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	131- 352	NUT - 3/8" N.C. Gripco	4
2	195- 104	WASHER - 3/8" plain ZP	8
3	A 70301	CHAIN - lift, 3 links	1
4	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	4
5	A 70432	BRACKET - belt guard and lift	1
6	129- 103	NUT - 3/8" N.C. hex ZP	2
7	192- 21	WASHER - 3/8" SAE std. lock ZP	2
8	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	2
9	131- 357	NUT - 3/4" N.C. Gripco	3
10	C 11948	BELT - drive (59" inside length) Use with idler brackets A70235 measuring 7-3/4" at sleeve centers	1
10	C 11946	BELT - drive (60" inside length) Use with idler brackets A70235 measuring 8-1/4" at sleeve centers	1
11	A 70291	PULLEY - center spindle, 2 groove	1
12	O 6073AB	KEY - square center spindle pulley	1
13	A 70282	WASHER - spindle bearing	3
14	13- 48	BOLT - 1/4" x 1/2" N.C. hex	8
15	92- 4	WASHER - 1/4" SAE std. lock	8
16	A 70303	GUARD - outboard pulley L. H.	1
17	A 70290	PULLEY - outboard spindle	2
18	A 70289	KEY - square outboard spindle pulley	2
19	A 70323	GUARD - discharge	1
20	A 70404	DECAL - caution spinning blades	2
21	13- 412	BOLT - 1/4" x 3/4" N.C. hex	2
22	92- 4	WASHER - 1/4" SAE std. lock	2
23	25- 104	NUT - 1/4" N.C. hex	2
24	A 70422	DECK - mower	1
25	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	1
26	A 70318	PIN - rear hanger chain to deck	2
27	A 70319	CHAIN - rear hanger, 4 links	2
28	95- 6	WASHER - 3/8" plain	2
29	A 70176	PIN - retainer	2
30	A 70292	BRACKET - idler pulley tightener	1
31	A 70295	PULLEY - idler	1
32	192- 25	WASHER - 5/8" SAE std. lock ZP	1
33	131- 356	NUT - 5/8" N. C. Gripco	1
34	129- 103	NUT - 3/8" N.C. hex ZP	1
35	192- 21	WASHER - 3/8" SAE std. lock ZP	1
36	195- 104	WASHER - 3/8" plain ZP	1
37	A 70302	GUARD - outboard pulley R. H.	1
38	A 70318	PIN - pivot arm to deck	2
39	A 70321	ARM - pivot R. H.	1
40	A 70176	PIN - retaining	2
41	A 70322	ARM - pivot L. H.	1
42	C 11944	BELT - driven (66" inside length)	1
43	321- 848	DECAL - "Case"	1



38" ROTARY MOWER (CONTD.)

CASE 130 GARDEN TRACTOR AND
COLT DELUXE, AND SUPER COMPACT TRACTORS


REF. PART NO.	DESCRIPTION	REQ'D
1 195- 108	SPACER - roller	8
2 A 70524	ROLLER - 7" long	5
3 A 70434	BRACKET - roller mtg. w/shaft, L. H.	1
4 113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	12
5 192- 21	WASHER - 3/8" SAE std. lock ZP	12
6 129- 103	NUT - 3/8" N.C. hex ZP	4
7 192- 21	WASHER - 3/8" SAE std. lock ZP	4
8 A 70431	BAFFLE - blade guard	1
9 113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	4
10 A 70280	BEARING - spindle	6
11 A 70281	SPACER - spindle bearing	3
12 A 70279	HOUSING - spindle	3
13 A 70282	WASHER - spindle bearing	3
14 A 70286	SPINDLE - mower blade center	1
15 A 70283	SPINDLE - mower blade outboard	2
16 A 70388	BLADE - 14" mower (regular) (See C11655)	3
16 C 11655	BLADE - 14" (for use in sets of three when cutting high grass under severe conditions)	3
17 92- 6	WASHER - 3/8" SAE std. lock	6
18 13- 68	BOLT - 3/8" x 1/2" N.C. hex	6
19 113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	2
20 A 70305	BRACKET - roller mounting, R. H.	1
21 195- 104	WASHER - 3/8" plain ZP	2
22 129- 103	NUT - 3/8" N.C. hex ZP	2
23 132- 69	PIN - 5/32" x 1" cotter	2



44" ROTARY MOWER

CASE 130 GARDEN TRACTOR AND
COLT DELUXE, AND SUPER COMPACT TRACTORS

REF. PART NO.	DESCRIPTION	REQ'D
1 131- 352	NUT - 3/8" N.C. Gripco	4
2 195- 104	WASHER - 3/8" plain ZP	8
3 A 70301	CHAIN - lift, 3 links	1
4 113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	4
5 A 70297	BRACKET - belt guard and lift	1
6 129- 103	NUT - 3/8" N.C. hex	2
7 192- 21	WASHER - 3/8" SAE std. lock ZP	2
8 113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	2
9 131- 357	NUT - 3/4" N.C. Gripco	3
10 C 11949	BELT - drive (61" inside length) Use with idler brackets A70235 measuring 7-3/4" at sleeve centers	1
10 C 11947	BELT - drive (62" inside length) Use with idler brackets A70235 measuring 8-1/4" at sleeve centers	1
11 A 70291	PULLEY - center spindle, 2 groove	1
12 O 6073AB	KEY - square center spindle pulley	1
13 A 70282	WASHER - spindle bearing	3
14 13- 48	BOLT - 1/4" x 1/2" N.C. hex	8
15 92- 4	WASHER - 1/4" SAE std. lock	8
16 A 70303	GUARD - outboard pulley, L. H.	1
17 A 70290	PULLEY - outboard spindle	2
18 A 70289	KEY - square outboard spindle pulley	2
19 A 70323	GUARD - discharge	1
20 A 70404	DECAL - caution spinning blade	2
21 13- 412	BOLT - 1/4" x 3/4" N.C. hex	2
22 92- 4	WASHER - 1/4" SAE std. lock	2
23 25- 104	NUT - 1/4" N.C. hex	2
24 A 70260	DECK - mower	1
25 113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	1
26 A 70318	PIN - rear hanger chain to deck	2
27 A 70319	CHAIN - rear hanger, 4 links	2
28 95- 6	WASHER - 3/8" plain	2
29 A 70176	PIN - retaining	2
30 A 70292	BRACKET - idler pulley tightener	1
31 A 70295	PULLEY - idler	1
32 192- 25	WASHER - 5/8" SAE std. lock ZP	1
33 131- 356	NUT - 5/8" N.C. Gripco	1
34 129- 103	NUT - 3/8" N.C. hex ZP	1
35 192- 21	WASHER - 3/8" SAE std. lock ZP	1
36 195- 104	WASHER - 3/8" plain ZP	1
37 A 70302	GUARD - outboard pulley R. H.	1
38 A 70318	PIN - pivot arm to deck	2
39 A 70321	ARM - pivot R. H.	1
40 A 70176	PIN - retaining	2
41 A 70322	ARM - pivot L. H.	1
42 C 11945	BELT - driven (80" inside length)	1
43 321- 848	DECAL - "Case"	1




44" ROTARY MOWER (CONTD.)

CASE 130 GARDEN TRACTOR AND
COLT DELUXE, AND SUPER COMPACT TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	195- 108	SPACER - roller	9
2	A 70524	ROLLER - 7" long	5
3	A 70306	BRACKET - roller mtg. w/shaft, L. H.	1
4	113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	12
5	192- 21	WASHER - 3/8" SAE std. lock ZP	12
6	129- 103	NUT - 3/8" N.C. hex ZP	4
7	192- 21	WASHER - 3/8" SAE std. lock ZP	4
8	A 70309	BAFFLE - blade guard	1
9	113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	4
10	A 70280	BEARING - spindle	6
11	A 70281	SPACER - spindle bearing	3
12	A 70279	HOUSING - spindle	3
13	A 70282	WASHER - spindle bearing	6
14	A 70286	SPINDLE - mower blade center	1
15	A 70283	SPINDLE - mower blade outboard	2
16	A 70317	BLADE - 15" mower (regular) (See C11654)	3
16	C 11654	BLADE - 15" mower (for use in sets of 3 when cutting high grass under severe conditions)	3
17	92- 6	WASHER - 3/8" SAE std. lock	6
18	13- 68	BOLT - 3/8" x 1/2" N.C. hex	6
19	113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	2
20	A 70305	BRACKET - roller mounting, R. H.	1
21	195- 104	WASHER - 3/8" plain ZP	2
22	129- 103	NUT - 3/8" N.C. hex ZP	2
23	132- 69	PIN - 5/32" x 1" cotter	2
24	A 70523	ROLLER - 5" long	1

Case
Blackie Crowe



44" ROTARY MOWER

CASE 180 GARDEN TRACTOR AND
COLT SUPER H, AND RANCHER COMPACT TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	129- 103	NUT - 3/8" N.C. hex ZP	2
2	192- 21	WASHER - 3/8" SAE std. lock ZP	2
3*	A 70499	BRACKET - belt guard (180 and Rancher) (See C11376)	1
3	C 12292	BRACKET - belt guard (Super H)	1
4*	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP (See 115-204)	2
5	131- 357	NUT - 3/4" N.C. Gripco	3
6*	C 11988	BELT - drive (58" inside length) (See C11384)	1
7*	A 70290	PULLEY - spindle (See C11387 for center spindle or C11385 for outer spindles)	4
8*	A 70289	KEY - square spindle pulley (See O6073AB)	4
9**	A 70281	SPACER - center spindle pulley (180 and Rancher)	1
9	C 12293	SPACER - center spindle pulley (Super H)	1
10	A 70282	WASHER - spindle bearing	3
11	13- 48	BOLT - 1/4" x 1/2" N.C. hex	8
12	92- 4	WASHER - 1/4" SAE std. lock	8
13	A 70303	GUARD - outboard pulley, L. H.	1
14	A 70323	GUARD - discharge	1
15	A 70404	DECAL - caution spinning blades	2
16	13- 412	BOLT - 1/4" x 3/4" N.C. hex	2
17	92- 4	WASHER - 1/4" SAE std. lock	2
18	25- 104	NUT - 1/4" N.C. hex	2
19	A 70492	DECK - mower	1
20	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex	1
21	A 70318	PIN - lift chain	5
22	A 70512	CHAIN - 8 links (180 and Rancher)	2
22	C 12294	CHAIN - 8 links (Super H)	2
23	95- 6	WASHER - 3/8" plain	5
24	A 70176	PIN - retaining	4
25	113- 208	BOLT - 3/8" x 1-1/4" N.C. hex ZP	3
26	195- 104	WASHER - 3/8" plain ZP	6
27	131- 352	NUT - 3/8" N.C. Gripco	3
28	A 70513	CHAIN - 6 links (180 and Rancher)	1
28	C 12295	CHAIN - 5 links (Super H)	1
29	A 70501	BRACKET - lift	1
30	A 70508	SHAFT - rear lift lever	1
31	132- 50	PIN - 1/8" x 1-1/4" cotter	2
32	A 70292	BRACKET - idler pulley tightener	1
33	195- 104	WASHER - 3/8" plain ZP	1
34	192- 21	WASHER - 3/8" SAE std. lock ZP	1
35	129- 103	NUT - 3/8" N.C. hex ZP	1
36	A 70295	PULLEY - idler	1
37	192- 25	WASHER - 5/8" SAE std. lock ZP	1
38	131- 356	NUT - 5/8" N.C. Gripco	1
39	A 70504	LEVER - rear lift	1
40	A 70302	GUARD - outboard pulley, R. H.	1
41	C 11945	BELT - driven (80" inside length)	1
42	321- 848	DECAL - "Case"	1

* Refer to pages 18 and 19 if rotary mower has modification kit number C11633 installed.

** Parts indicated are not used on mowers with part number C11633 modification kit installed.

Printed in U. S. A.

September, 1966




44" ROTARY MOWER (CONTD.)

CASE 180 GARDEN TRACTOR AND
COLT SUPER H, AND RANCHER COMPACT TRACTORS

REF. PART NO.	DESCRIPTION	REQ'D
1 A 70523	ROLLER - 5" long	1
2 195- 108	SPACER - roller	9
3 A 70524	ROLLER - 7" long	5
4 A 70306	BRACKET -roller mtg. w/shaft, L. H.	1
5 113- 206	BOLT - 3/8" x 3/4" N.C. hex	12
6 192- 21	WASHER - 3/8" SAE std. lock ZP	12
7* A 70516	BRACKET - roller mtg. adj. (See C11374)	1
8 A 70515	SHAFT - front roller	1
9 132- 50	PIN - 1/8" x 1-1/4" cotter	2
10 195- 104	WASHER - 3/8" plain ZP	2
11 131- 352	NUT - 3/8" N.C. Gripco	2
12 A 70514	ROLLER - front	1
13 129- 103	NUT - 3/8" N.C. hex ZP	4
14 192- 21	WASHER - 3/8" SAE std. lock ZP	4
15 A 70309	BAFFLE - blade guard	1
16 113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	4
17 A 70280	BEARING - spindle	6
18 A 70281	SPACER - spindle bearing	3
19 A 70279	HOUSING - spindle	3
20 A 70282	WASHER - spindle bearing	3
21* A 70488	SPINDLE - mower blade center (180 and Rancher)(See C11428)	1
21 C 12303	SPINDLE - mower blade center (Super H)	1
22 A 70283	SPINDLE - mower blade outboard	2
23 A 70317	BLADE - 15" mower (regular) (See C11654)	3
23 C 11654	BLADE - 15" mower (for use in sets of 3 when cutting high grass under severe conditions)	3
24 92- 6	WASHER - 3/8" SAE std. lock	6
25 13- 68	BOLT - 3/8" x 1/2" N.C. hex	6
26 113- 206	BOLT - 3/8" x 3/4" N.C. hex ZP	2
27 A 70305	BRACKET - roller mounting, R. H.	1
28 195- 104	WASHER - 3/8" plain ZP	2
29 129- 103	NUT - 3/8" N.C. hex ZP	2
30 132- 69	PIN - 5/32" x 1" cotter	2

* Refer to pages 18 and 19 if rotary mower has modification kit number C11633 installed.




C 11633 MODIFICATION KIT

44" ROTARY MOWER

CASE 180 AND RANCHER GARDEN TRACTORS

REF. PART NO.	DESCRIPTION	REQ'D
1 C 11435	PIN - pivot bracket	1
2 132- 310	PIN - cotter, 1/8" x 1"	10
3 C 11375	BRACKET - pivot	1
4 C 10821	PIN - clevis	2
5 C 11627	SPACER	1
6 C 11365	BRACKET - adjustment	1
7 195- 533	WASHER - plain, 1/2"	8
8 129- 105	NUT - 1/2" N.C. hex	2
9 131- 165	NUT - lock, 1/2" N.C.	1
10 C 11362	ROD - push	1
11 C 11626	ROD - lift lever	1
12 C 11628	STUD - adjustment	1
13 C 11416	LINK - push arm bracket	2
14 C 11373	BRACKET - push arm	2
15 192- 21	LOCKWASHER - 3/8" ZP	7
16 129- 103	NUT - 3/8" N.C. hex	6
17 C 11376	GUARD - drive belt	1
18 115- 204	BOLT - 3/8" x 1" N.C. hex	6
19 C 11387	PULLEY - mower	1
20 O 6073AB	KEY - square, 1-1/2" long	1
21 C 11385	PULLEY - mower deck	2
22 C 11379	LEVER - clutch	1
23 C 11378	BRACKET - idler	1
24 C 11566	BOLT - clamp	2
25 C 11428	SPINDLE	1
26 C 11374	BRACKET - roller mounting (Not furnished in kit)	1
27 C 11381	GUARD - engine pulley	1
28 C 11386	PULLEY - engine	1
29 C 10312	SPACER - fan (short)	1
30 115- 201	BOLT - 3/8"-16 x 1-1/2" hex	1
31 C 11384	BELT - mower drive	1
32 A 70170	GRIP - clutch lever	1



DOZER BLADE

CASE 130-180 GARDEN TRACTORS AND
COLT DELUXE, SUPER, SUPER H, AND RANCHER
COMPACT TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	A 70363	PIN - retaining	7
2	A 70364	PIN - lift bracket pivot	1
3	A 70356	BRACKET - lift (130 Deluxe and Super)	1
3	A 70520	BRACKET - lift (180 Super H and Rancher)	1
4	141- 6	PIN - clevis, 1/2"	2
5	A 70368	ROD - push	1
6	141- 4	PIN - clevis, 3/8"	2
7	A 70361	ARM - lift bracket to carriage lift (130 Deluxe and Super)	2
7	A 70522	ARM - lift bracket to carriage lift (180 Super H and Rancher)	2
8	A 70176	PIN - retaining	2
9	A 70353	PIN - blade pivot	2
10	A 70338	CARRIAGE - dozer blade	1
11	A 70369	PIN - carriage to tractor pivot	1
12	A 70328	BLADE - dozer	1
13	25- 108	NUT - 1/2" N.C. hex	4
14	129- 102	NUT - 5/16" N.C. hex ZP	8
15	92- 5	WASHER - 5/16" std. lock	8
16	A 70336	SKID - blade	2
17	111- 202	BOLT - 5/16" x 3/4" N.C. rd. hd. sq. nk.	8
18	A 70335	EDGE - dozer blade cutting	1

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
13- 68	9	18	129- 103	15	35	195- 108	9	1
13- 68	13	18	129- 103	17	13	195- 108	13	1
13- 68	17	25	129- 103	17	29	195- 108	17	2
13- 412	7	21	129- 103	19	16	195- 533	19	7
13- 412	11	21	129- 105	19	8	321- 848	7	43
13- 412	15	16	129- 107	5	12	321- 848	11	43
13- 1080	5	20	131- 165	19	9	321- 848	15	42
25- 104	7	23	131- 352	7	1			
25- 104	11	23	131- 352	11	1			
25- 104	15	18	131- 352	15	27			
25- 108	21	13	131- 352	17	11			
92- 4	7	15	131- 356	7	33			
92- 4	7	22	131- 356	11	33			
92- 4	11	15	131- 356	15	38			
92- 4	11	22	131- 357	7	9			
92- 4	15	12	131- 357	11	9			
92- 4	15	17	131- 357	15	5			
92- 5	21	15	132- 30	5	3			
92- 6	9	17	132- 50	15	31			
92- 6	13	17	132- 50	17	9			
92- 6	17	24	132- 69	9	23			
95- 6	7	28	132- 69	13	23			
95- 6	11	28	132- 69	17	30			
95- 6	15	23	132- 310	19	2			
111- 202	21	17	141- 4	21	6			
113- 103	5	21*	141- 6	21	4			
113- 206	9	4	192- 20	5	18			
113- 206	9	9	192- 21	7	7			
113- 206	9	19	192- 21	7	35			
113- 206	13	4	192- 21	9	5			
113- 206	13	9	192- 21	9	7			
113- 206	13	19	192- 21	11	7			
113- 206	17	5	192- 21	11	35			
113- 206	17	16	192- 21	13	5			
113- 206	17	26	192- 21	13	7			
113- 208	7	4	192- 21	15	2			
113- 208	7	8	192- 21	15	34			
113- 208	7	25	192- 21	17	6			
113- 208	11	4	192- 21	17	14			
113- 208	11	8	192- 21	19	15			
113- 208	11	25	192- 25	5	13			
113- 208	15	4*	192- 25	7	32			
113- 208	15	25	192- 25	11	32			
113- 208	15	20	192- 25	15	37			
115- 201	19	30	195- 103	5	16			
115- 204	19	18	195- 104	7	2			
129- 102	5	17	195- 104	7	36			
129- 102	21	14	195- 104	15	26			
129- 103	7	6	195- 104	15	33			
129- 103	7	34	195- 104	9	21			
129- 103	9	6	195- 104	11	2			
129- 103	9	22	195- 104	11	36			
129- 103	11	6	195- 104	13	21			
129- 103	11	34	195- 104	17	10			
129- 103	13	6	195- 104	17	28			
129- 103	13	22	195- 106	5	2			
129- 103	15	1	195- 108	5	6			

Be Safe...

Insist on
GENUINE



PARTS!