




PARTS CATALOG NO. 976

CASE



ROTARY MOWER, DOZER BLADE
AND DUMP CART
USED ON
120, 150 AND 190
GARDEN TRACTORS



PRICE 75¢



J. I. CASE COMPANY
Racine, Wisconsin, U.S.A.

ROTARY MOWER, DOZER BLADE AND DUMP CART**MOWER SERIAL NUMBER****DOZER BLADE SERIAL NUMBER**

NOTE There is no serial number located on the dump cart.

DESIGNATIONS	TRACTOR APPLICATION		
	120	150	190
38" ROTARY MOWER	X	X	
44" ROTARY MOWER	X	X	
44" R ROTARY MOWER			X
44" DOZER BLADE	X	X	
50" R DOZER BLADE			X
DUMP CART	X	X	X

Serial Numbers

When using this catalog, notice the reference to serial numbers of various components noted here and listed in the "description" copy. By referring to correct serial numbers, proper parts identification will be assured.

Indexes

This Parts Catalog is arranged for easy identification of Genuine CASE Service Parts. An alphabetical index is provided at the front of this Catalog to locate the major groups or assemblies. A numerical index at the rear of the Catalog gives the part numbers and the pages on which they are described.

Illustrations

All parts are illustrated in "Exploded Views" which show the individual parts in their normal relationship to each other. Reference numbers are used in the illustrations. These numbers correspond to those in the "Reference Number" column and are followed by the part number, description and quantity required.

Orders

Orders should plainly specify correct part number, full description, quantity required, machine model and engine model, machine and engine serial numbers, method of shipment and shipping address.

Changes

When changes to the machine make it necessary, revised pages for this book will be issued. The revised pages will be issued with the same page number as those they replace and the "issue" number and date will be advanced.

It is imperative that revised Parts Book pages be inserted into their respective Parts Books as soon as received. Failure to do so will lead to confusion and defeat the purpose of the book.

Indented Description

Indented parts in the descriptive list are a part of the preceding assembly or sub-assembly. The quantity shown in the "Number Required" column is the number of parts used on a machine except where parts are indented in descriptive list. In this case the quantity shown is the number required for the preceding assembly or sub-assembly.

REF.	PART NO.	DESCRIPTION	REQ'D
	A 55159	CYLINDER ASSY - rear steering	1
28	A 56208	SOCKET ASSY - rear cylinder	1
29	A 55956	PLUG - adjusting, socket assy	1
30	A 55957	SEAT - socket ball	2
31	A 56210	SPRING - socket	1
32	A 56209	SEAT - socket spring	1
33	G 45175	CLAMP ASSY - socket assy	1
	16- 836	BOLT - 1/2" x 2-1/4" N.F.hex.	1
34	132- 104	PIN - cotter, 3/16" x 3"	1
35	A 55889	STUD - ball, socket & cylinder	2
36	13- 410	BOLT - 1/4" x 5/8" N.C., hex.	4
37	92- 4	LOCKWASHER - 1/4" SAE	4

Terms "Right Hand" and "Left Hand"

"Right Hand" and "Left Hand" sides of this machine are determined by standing at the rear of the unit and facing in the direction of forward travel.

ALPHABETICAL INDEX

MOWER SECTION


	Page		
	120-150		190
	38"	44"	44" R
Belts, Drive	9	9	11
Driven	7	5	5
Blades	7	5	5
Deck	7	5	5
Guards	7	5	5
Housing, Spindle	7	5	5
Pulleys	7	5	5
Rod, Lift Lever	9	9	11
Spindles	7	5	5

DOZER SECTION

	Page	
	120-150	190
	44"	50" R
Blade	13	15
Carriage	13	15
Edge, Cutting	13	15
Skids	13	15

DUMP CART SECTION


	Page
Dump Cart	17



38" ROTARY MOWER

120, AND 150 GARDEN TRACTORS


REF. PART NO.	DESCRIPTION	REQ'D
1 C 10806	GUARD - outboard pulley	2
2 187- 1014	SCREW - 1/4" x 1/2" hex head, self-tapping	6
3 25- 1112	NUT - 3/4"-16 hex	3
4 C 10904	PULLEY - outboard spindle	2
5 126- 19	KEY, Woodruff #11	3
6 C 10822	WASHER - mower spindle	6
7 C 10713	PULLEY - center spindle, 2 groove	1
8 C 10769	BELT - driven, 3V710	1
9 C 10788	DECK - mower, 38"	1
10 A 70404	DECAL - "caution-spinning blade"	2
11 C 10899	BEARING - spindle	6
12 C 10810	SPACER - bearing	3
13 C 10807	HOUSING - spindle	3
14 C 10942	WASHER - bearing seal	3
15 C 10808	SPINDLE - mower blade	3
16 C 10811	BLADE - 14" mower	3
17 92- 6	WASHER - 3/8" SAE std. lock	6
18 115- 206	BOLT - 3/8" x 5/8" N. C. ZP	6
19 115- 203	BOLT - 3/8" x 3/4" N. C.	12
20 92- 6	WASHER - 3/8" SAE std. lock	12
21 C 10765	PULLEY - idler	1
22 C 10814	BRACKET - idler	1
23 C 10817	BUSHING - idler pulley	1
24 16- 624	BOLT - 3/8" x 1-1/2" N. C. ZP	1
25 92- 6	WASHER - 3/8" SAE std. lock	2
26 11- 614	BOLT - 3/8" x 7/8" - round head, square neck	1
27 195- 522	WASHER - 3/8" SAE plain ZP	1
28 25- 106	NUT - 3/8"-16 N. C. hex	1



44" ROTARY MOWER

120, 150 AND 190 GARDEN TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10806	GUARD - outboard pulley	2
2	187- 1014	SCREW - 1/4" x 1/2" hex head, self-tapping	6
3	25- 1112	NUT - 3/4"-16 hex	3
4	C 10904	PULLEY - outboard spindle	2
5	126- 19	KEY - Woodruff #11	3
6	C 10822	WASHER - mower spindle	6
7	C 10713	PULLEY - center spindle, 2 groove	1
8	C 10919	BELT - driven, 3V750	1
9	C 10833	DECK - mower, 44"	1
10	A 70404	DECAL - "caution-spinning blade"	2
11	C 10899	BEARING - spindle	6
12	C 10810	SPACER - bearing	3
13	C 10807	HOUSING - spindle	3
14	C 10942	WASHER - bearing seal	3
15	C 10808	SPINDLE - mower blade	3
16	C 10920	BLADE - 15-1/2" mower	3
17	92- 6	WASHER - 3/8" SAE std. lock	6
18	115- 206	BOLT - 3/8" x 5/8" N. C. ZP	6
19	115- 203	BOLT - 3/8" x 3/4" N. C.	12
20	92- 6	WASHER - 3/8" SAE std. lock	12
21	C 10765	PULLEY - idler	1
22	C 10814	BRACKET - idler	1
23	C 10817	BUSHING, idler pulley	1
24	16- 624	BOLT - 3/8" x 1-1/2" N. F. ZP	1
25	92- 6	WASHER - 3/8" SAE std. lock	2
26	11- 614	BOLT - 3/8" x 7/8" - round head, square neck	1
27	195- 522	WASHER - 3/8" SAE plain ZP	1
28	25- 106	NUT - 3/8"-16 N. C. hex	1



38" - 44" ROTARY MOWER

120 AND 150 GARDEN TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10895 14980	BELT - drive	1
2	C 10463	PULLEY - idler	2
3	C 10551	BUSHING - idler	2
4	15- 896	BOLT - 1/2" x 6" N. C.	1
5	92- 8	WASHER - 1/2" SAE std. lock	5
6	25- 108	NUT - 1/2"-13 N. C. hex	5
7	C 10949	FRAME - support	1
8	C 10760	BELLCRANK - rear lift	1
9	C 10789	LEVER - rear lift	1
10	138- 2008	ROLLPIN - 1/4" x 1-1/8"	1
11	C 10757	PULL ROD - rear mower lift	1
12	195- 522	WASHER - 3/8" SAE plain ZP	1
13	C 10751	LEVER - lift	1
14	115- 406	BOLT - 1/2" x 1-1/4" N. C.	2
15	132- 48	PIN - cotter, 1/8" x 1"	6
16	C 10953	PIN - clevis 1/2" x 3/4"	2
17	213- 4	CLEVIS - 3/8"-24 SAE	1
18	25- 156	NUT - 3/8"-24 N. F. hex	1
19	141- 4	PIN - clevis 3/8" SAE	1
20	132- 26	PIN - cotter 3/32" x 3/4"	3
21	C 10898	PIN - safety	7
22	C 10821	PIN - clevis 1/2"	8
23	195- 530	WASHER - 1/2" SAE plain ZP	20
24	C 10804	LINK - front mower lift	2
25	C 10803	LINK - rear mower lift	2
26	C 11344	LINK - bottom lift	4
27	C 11345	LINK - top lift	4
28	115- 407	BOLT - 1/2" x 1-1/2" N. C.	2
29	C 10800	BOLT - belt tension arm	1
30	C 10952	YOKE - adjustable rod end	1
31	C 10802	YOKE - belt tension arm	1
32	C 10813	SPRING - belt tension	1
33	C 10818	PIN - pivot	1
34	C 10897	PIN - pivot	1
35	C 10883	PIN - safety	2
36	25- 148	NUT - 1/2"-13 N. C. hex	3



44" ROTARY MOWER

190 GARDEN TRACTOR


REF.	PART NO.	DESCRIPTION	REQ'D
1	C 11051	BELT - drive <i>4-11.669-C.14983</i>	1
2	C 10463	PULLEY - idler	2
3	C 10551	BUSHING - idler	2
4	15- 896	BOLT - 1/2" x 6" N. C.	1
5	92- 8	WASHER - 1/2" SAE std. lock	5
6	25- 108	NUT - 1/2"-13 N. C. hex	5
7	C 10951	FRAME - support	1
8	C 10760	BELLCRANK - rear lift	1
9	C 10789	LEVER - rear lift	1
10	138- 2008	ROLLPIN - 1/4" x 1-1/8"	1
11	C 10757	PULL ROD - rear mower lift	1
12	195- 522	WASHER - 3/8" SAE plain ZP	1
13	C 10751	LEVER - lift	1
14	115- 406	BOLT - 1/2" x 1-1/4" N. C.	2
15	132- 48	PIN - cotter 1/8" x 1"	6
16	C 10953	PIN - clevis 1/2" x 3/4"	2
17	213- 4	CLEVIS - 3/8"-24 SAE	1
18	25- 156	NUT - 3/8"-24 N. F. hex	1
19	141- 4	PIN - clevis 3/8" SAE	1
20	132- 26	PIN - cotter 3/32" x 3/4"	3
21	C 10898	PIN - safety	7
22	C 10821	PIN - clevis 1/2"	8
23	195- 530	WASHER - 1/2" SAE plain ZP	20
24	C 10915	LINK - front mower lift	2
25	C 10916	LINK - rear mower lift	2
26	C 11344	LINK - bottom lift	4
27	C 11347	LINK - top lift	4
28	115- 407	BOLT - 1/2" x 1-1/2" N. C.	2
29	C 10800	BOLT - belt tension arm	1
30	C 10952	YOKER - adjustable rod end	1
31	C 10802	YOKER - belt tension arm	1
32	C 10813	SPRING - belt tension	1
33	C 10818	PIN - pivot	1
34	C 10897	PIN - pivot	1
35	C 10883	PIN - safety	2
36	25- 148	NUT - 1/2"-13 N. C. hex	3



44" DOZER BLADE

120 AND 150 GARDEN TRACTORS


REF. PART NO.	DESCRIPTION	REQ'D
1 C 10850	FRAME - dozer	1
2 C 10820	PIN - clevis - 5/8"	2
3 C 10898	PIN - safety	4
4 C 10879	LINK - dozer lift	2
5 C 10821	PIN - clevis - 1/2"	4
6 132- 48	PIN - cotter - 1/8" x 1"	4
7 C 10967	BOLT - 3/8" x 3" hex head	1
8 C 10966	SPRING - extension	1
9 C 10965	PLUG - spring adjustment	1
10 C 10921	SPRING - compression	1
11 C 10896	WASHER - cup	1
12 129- 103	NUT - 3/8"-16 N. C.	1
13 C 10873	WELDMENT - blade pivot	1
14 15- 856	BOLT - 1/2" x 3-1/2" N. C.	1
15 92- 8	WASHER - 1/2" SAE std. lock	1
16 25- 108	NUT - 1/2"-13 N. C.	5
17 141- 6	PIN - clevis - 1/2"	2
18 C 10870	BLADE - 44" dozer	1
19 C 11049	BOLT - 3/8" x 10" N. C. ZP	1
20 C 10968	SHOE - dozer	2
21 C 10871	BLADE - 44" scraper	1
22 11- 516	BOLT - 5/16" x 1" round head	9
23 92- 5	WASHER - 5/16" SAE std. lock	9
24 25- 105	NUT - 5/16"-18 hex	9
25 C 10888	PIN - locking	1
26 111- 342	BOLT - 3/8" x 1" - round head, square neck	1



50" DOZER BLADE

190 GARDEN TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10850	FRAME - dozer	1
2	C 10820	PIN - clevis - 5/8"	2
3	C 10898	PIN - safety	4
4	C 10879	LINK - dozer lift	2
5	C 10821	PIN - clevis - 1/2"	4
6	132- 48	PIN - cotter - 1/8" x 1"	4
7	C 10967	BOLT - 3/8" x 3" hex head	1
8	C 10966	SPRING - extension	1
9	C 10965	PLUG - spring adjustment	1
10	C 10921	SPRING - compression	1
11	C 10896	WASHER - cup	1
12	129- 103	NUT - 3/8"-16 N. C.	1
13	C 10873	WELDMENT - blade pivot	1
14	15- 856	BOLT - 1/2" x 3-1/2" N. C.	1
15	92- 8	WASHER - 1/2" SAE std. lock	1
16	25- 108	NUT - 1/2"-13 N. C.	5
17	141- 6	PIN - clevis - 1/2"	2
18	C 10881	BLADE - 50" dozer	1
19	C 11049	BOLT - 3/8" x 10" N. C. ZP	1
20	C 10968	SHOE - dozer	2
21	C 10878	BLADE - 50" scraper	1
22	11- 516	BOLT - 5/16" x 1" round head	10
23	92- 5	WASHER - 5/16" SAE std. lock	10
24	25- 105	NUT - 5/16"-18 hex	10
25	C 10888	PIN - locking	1
26	111- 342	BOLT - 3/8" x 1" - round head, square neck	1



DUMP CART

120, 150 AND 190 GARDEN TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	186- 218	SCREW - 5/8" No. 5 - round head	6
2	C 11436	ANGLE - stiffener	2
3	C 11437	TAIL GATE - wood	1
4	C 10660	BODY - trailer assembly	1
5	132- 93	PIN - cotter - 3/16" x 1-1/4"	2
6	A 70063	WHEEL - assembly	2
7	A 70479	RIM - wheel - 4 x 8	1
8	A 70398	BUSHING - wheel - flanged - 3/4"	2
9	219- 1	GREASE FITTING - zerk	1
10	C 10664	BRACKET - axle	2
11	12- 512	BOLT - 5/16" x 3/4" round head, square neck	6
12	92- 5	WASHER - 5/16" SAE std. lock	6
13	25- 105	NUT - 5/16" N. C. hex	6
14	C 10666	TONGUE - rear assembly with axle	1
15	12- 612	BOLT - 3/8" x 3/4" - round head, square neck	2
16	92- 6	WASHER - 3/8" SAE std. lock	2
17	25- 106	NUT - 3/8" N. C. hex	3
18	C 10665	TONGUE - front assembly	1
19	C 10661	LEVER - release	1
20	C 10662	KNOB - release lever	1
21	15- 656	BOLT - 3/8" x 3-1/2" hex head	1
22	25- 146	NUT - 3/8" N. C. hex jam	1
23	C 10663	SPRING - release lever	1
24	95- 5	WASHER - 5/16" SAE std. plain	1
25	25- 105	NUT - 5/16" N. C. hex	1
26	25- 145	NUT - 5/16" N. C. hex jam	1

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
A 70063	17	6	C 10821	13	5	C 11344	11	26
A 70398	17	8	C 10821	15	5	C 11344	9	26
A 70404	7	10	C 10822	7	6	C 11345	9	27
A 70404	5	10	C 10822	5	6	C 11347	11	27
A 70479	17	7	C 10833	5	9	C 11436	17	2
C 10463	11	2	C 10850	13	1	C 11437	17	3
C 10463	9	2	C 10850	15	1			
C 10551	11	3	C 10870	13	18	HARDWARE CODE NUMBERS		
C 10551	9	3	C 10871	13	21			
C 10660	17	4	C 10873	13	13	11 516	13	22
C 10661	17	19	C 10873	15	13	11 516	15	22
C 10662	17	20	C 10878	15	21	11 614	5	26
C 10663	17	23	C 10879	13	4	11 614	7	26
C 10664	17	10	C 10879	15	4	12 512	17	11
C 10665	17	18	C 10881	15	18	12 612	17	15
C 10666	17	14	C 10883	9	35	15 656	17	21
C 10713	5	7	C 10883	11	35	15 856	13	14
C 10713	7	7	C 10888	15	25	15 856	15	14
C 10751	9	13	C 10888	13	25	15 896	9	4
C 10751	11	13	C 10895	9	1	15 896	11	4
C 10757	9	11	C 10896	13	11	15 624	5	24
C 10757	11	11	C 10896	15	11	16 624	7	24
C 10760	11	8	C 10897	9	34	25 105	13	24
C 10760	9	8	C 10897	11	34	25 105	15	24
C 10765	5	21	C 10898	15	3	25 105	17	13
C 10765	7	21	C 10898	9	21	25 105	17	25
C 10769	7	8	C 10898	13	3	25 106	5	28
C 10788	7	9	C 10898	11	21	25 106	7	28
C 10789	11	9	C 10899	7	11	25 106	17	17
C 10789	9	9	C 10899	5	11	25 108	9	6
C 10800	9	29	C 10904	5	4	25 108	11	6
C 10800	11	29	C 10904	7	4	25 108	13	16
C 10802	9	31	C 10915	11	24	25 108	15	16
C 10802	11	31	C 10916	11	25	25 145	17	26
C 10803	9	25	C 10919	5	8	25 146	17	22
C 10804	9	24	C 10920	5	16	25 148	9	36
C 10806	5	1	C 10921	13	10	25 148	11	36
C 10806	7	1	C 10921	15	10	25 156	9	18
C 10807	5	13	C 10942	5	14	25 156	11	18
C 10807	7	13	C 10942	7	14	25 1112	5	3
C 10808	5	15	C 10949	9	7	25 1112	7	3
C 10808	7	15	C 10951	11	7	92 5	13	23
C 10810	5	12	C 10952	9	30	92 5	15	23
C 10810	7	12	C 10952	11	30	92 5	17	12
C 10811	7	16	C 10953	9	16	92 6	5	17
C 10813	9	32	C 10953	11	16	92 6	5	20
C 10813	11	32	C 10965	13	9	92 6	5	25
C 10814	5	22	C 10965	15	9	92 6	7	17
C 10814	7	22	C 10966	15	8	92 6	7	20
C 10817	5	23	C 10966	13	8	92 6	7	25
C 10817	7	23	C 10967	13	7	92 6	17	16
C 10818	9	33	C 10967	15	7	92 8	9	5
C 10818	11	33	C 10968	15	20	92 8	11	5
C 10820	13	2	C 10968	13	20	92 8	13	15
C 10820	15	2	C 11049	15	19	92 8	15	15
C 10821	9	22	C 11049	13	19	95 5	17	24
C 10821	11	22	C 11051	11	1	111 342	13	26

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
111	342	15	26					
115	203	5	19					
115	203	7	19					
115	206	5	18					
115	206	7	18					
115	406	9	14					
115	406	11	14					
115	407	9	28					
115	407	11	28					
126	19	5	5					
126	19	7	5					
129	103	13	12					
129	103	15	12					
132	26	9	20					
132	26	11	20					
132	48	9	15					
132	48	11	15					
132	48	13	6					
132	48	15	6					
132	93	17	5					
138	2008	9	10					
138	2008	11	10					
141	4	11	19					
141	4	9	19					
141	6	13	17					
141	6	15	17					
186	218	17	1					
187	1014	5	2					
187	1014	7	2					
195	522	5	27					
195	522	7	27					
195	522	9	12					
195	522	11	12					
195	530	9	23					
195	530	11	23					
213	4	9	17					
213	4	11	17					
219	1	17	9					



HERE'S YOUR SET
OF REVISION PAGES
TO KEEP YOUR PARTS
DEPT. UP-TO-DATE!

Revision No.1

PAGES

5-6 7-8 9-10 11-12 17-18

TO

PARTS CATALOG NO. 976

ROTARY MOWER, DOZER BLADE

AND DUMP CART

USED ON

120, 150 AND 190

GARDEN TRACTORS

Insert the attached revised pages in your copy of the
above Catalog.

This Catalog has been printed in loose leaf style to
allow your Parts Department to keep their Catalogs
current and up-to-date. Insert these pages promptly
in their proper places. Remove and destroy the pages
they replace.

J. I. CASE CO.

Est. 1842 Racine, Wisconsin, U. S. A.


Printed in U.S.A.

Issued June 1967

38" ROTARY MOWER

120, AND 150 GARDEN TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10806	GUARD - outboard pulley	2
2	187- 1014	SCREW - 1/4" x 1/2" hex head, self-tapping	6
3	25- 1112	NUT - 3/4"-16 hex	3
4	C 10904	PULLEY - outboard spindle	2
5	126- 19	KEY, Woodruff #11	3
6	C 10822	WASHER - mower spindle	6
7	C 10713	PULLEY - center spindle, 2 groove	1
8	C 10769	BELT - driven, 3V710	1
9	C 10788	DECK - mower, 38"	1
10	A 70404	DECAL - "caution-spinning blade"	2
11	C 10899	BEARING - spindle	6
12	C 10810	SPACER - bearing	3
13	C 10807	HOUSING - spindle	3
14	C 10942	WASHER - bearing seal	3
15	C 10808	SPINDLE - mower blade	3
16	C 11655	BLADE - 14" mower	3
17	92- 6	WASHER - 3/8" SAE std. lock	6
18	115- 206	BOLT - 3/8" x 5/8" N. C. ZP	6
19	115- 203	BOLT - 3/8" x 3/4" N. C. ZP	12
20	92- 6	WASHER - 3/8" SAE std. lock	12
21	C 10765	PULLEY - idler	1
22	C 10814	BRACKET - idler	1
23	C 10817	BUSHING - idler pulley	1
24	14- 624	BOLT - 3/8" x 1-1/2" N. C. ZP	1
25	92- 6	WASHER - 3/8" SAE std. lock	2
26	11- 614	BOLT - 3/8" x 7/8" round head, square neck	1
27	195- 522	WASHER - 3/8" SAE plain ZP	1
28	25- 106	NUT - 3/8"-16 N. C. hex	1



44" ROTARY MOWER

120, 150 AND 190 GARDEN TRACTORS


REF.	PART NO.	DESCRIPTION	REQ'D
1	C 10806	GUARD - outboard pulley	2
2	187- 1014	SCREW - 1/4" x 1/2" hex head, self-tapping	6
3	25- 1112	NUT - 3/4"-16 hex	3
4	C 10904	PULLEY - outboard spindle	2
5	126- 19	KEY - Woodruff #11	3
6	C 10822	WASHER - mower spindle	6
7	C 10713	PULLEY - center spindle, 2 groove	1
8	C 10919	BELT - driven, 3V750	1
9	C 10833	DECK - mower, 44"	1
10	A 70404	DECAL - "caution-spinning blade"	2
11	C 10899	BEARING - spindle	6
12	C 10810	SPACER - bearing	3
13	C 10807	HOUSING - spindle	3
14	C 10942	WASHER - bearing seal	3
15	C 10808	SPINDLE - mower blade	3
16	C 11654	BLADE - 15-1/2" mower	3
17	92- 6	WASHER - 3/8" SAE std. lock	6
18	115- 206	BOLT - 3/8" x 5/8" N. C. ZP	6
19	115- 203	BOLT - 3/8" x 3/4" N. C. ZP	12
20	92- 6	WASHER - 3/8" SAE std. lock	12
21	C 10765	PULLEY - idler	1
22	C 10814	BRACKET - idler	1
23	C 10817	BUSHING, idler pulley	1
24	14- 624	BOLT - 3/8" x 1-1/2" N. F. ZP	1
25	92- 6	WASHER - 3/8" SAE std. lock	2
26	11- 614	BOLT - 3/8" x 7/8" round head, square neck	1
27	195- 522	WASHER - 3/8" SAE plain ZP	1
28	25- 106	NUT - 3/8"-16 N. C. hex	1



38" - 44" ROTARY MOWER

120 AND 150 GARDEN TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 11066 14980	BELT - drive	1
2	C 10463	PULLEY - idler	2
3	C 10551	BUSHING - idler	2
4	13- 896	BOLT - 1/2" x 6" N. C.	1
5	92- 8	WASHER - 1/2" SAE std. lock	5
6	25- 108	NUT - 1/2"-13 N. C. hex	5
7	C 10949	FRAME - support	1
8	C 10760	BELLCRANK - rear lift	1
9	C 10789	LEVER - rear lift	1
10	138- 2008	ROLLPIN - 1/4" x 1-1/8"	1
11	C 10757	PULL ROD - rear mower lift	1
12	195- 522	WASHER - 3/8" SAE plain ZP	1
13	C 10751	LEVER - lift	1
14	115- 406	BOLT - 1/2" x 1-1/4" N. C. ZP	2
15	132- 48	PIN - cotter, 1/8" x 1"	6
16	C 10953	PIN - clevis 1/2" x 3/4"	2
17	213- 4	CLEVIS - 3/8"-24 SAE	1
18	25- 156	NUT - 3/8"-24 N. F. hex	1
19	141- 4	PIN - clevis 3/8" SAE	1
20	132- 26	PIN - cotter 3/32" x 3/4"	3
21	C 10898	PIN - safety	7
22	C 10821	PIN - clevis 1/2"	8
23	195- 530	WASHER - 1/2" SAE plain ZP	20
24	C 10804	LINK - front mower lift	2
25	C 10803	LINK - rear mower lift	2
26	C 11344	LINK - bottom lift	4
27	C 11345	LINK - top lift	4
28	115- 407	BOLT - 1/2" x 1-1/2" N. C. ZP	2
29	C 10800	BOLT - belt tension arm	1
30	C 10952	YOKER - adjustable rod end	1
31	C 10802	YOKER - belt tension arm	1
32	C 10813	SPRING - belt tension	1
33	C 10818	PIN - pivot	1
34	C 10897	PIN - pivot	1
35	C 10883	PIN - safety	2
36	25- 148	NUT - 1/2"-13 N. C. hex	3




44" ROTARY MOWER

190 GARDEN TRACTOR

REF.	PART NO.	DESCRIPTION	REQ'D
1	C 11669	BELT - drive	1
2	C 10463	PULLEY - idler	2
3	C 10551	BUSHING - idler	2
4	13- 896	BOLT - 1/2" x 6" N. C.	1
5	92- 8	WASHER - 1/2" SAE std. lock	5
6	25- 108	NUT - 1/2"-13 N. C. hex	5
7	C 10951	FRAME - support	1
8	C 10760	BELLCRANK - rear lift	1
9	C 10789	LEVER - rear lift	1
10	138- 2008	ROLLPIN - 1/4" x 1-1/8"	1
11	C 10757	PULL ROD - rear mower lift	1
12	195- 522	WASHER - 3/8" SAE plain ZP	1
13	C 10751	LEVER - lift	1
14	115- 406	BOLT - 1/2" x 1-1/4" N. C. ZP	2
15	132- 48	PIN - cotter 1/8" x 1"	6
16	C 10953	PIN - clevis 1/2" x 3/4"	2
17	213- 4	CLEVIS - 3/8"-24 SAE	1
18	25- 156	NUT - 3/8"-24 N. F. hex	1
19	141- 4	PIN - clevis 3/8" SAE	1
20	132- 26	PIN - cotter 3/32" x 3/4"	3
21	C 10898	PIN - safety	7
22	C 10821	PIN - clevis 1/2"	8
23	195- 530	WASHER - 1/2" SAE plain ZP	20
24	C 10915	LINK - front mower lift	2
25	C 10916	LINK - rear mower lift	2
26	C 11344	LINK - bottom lift	4
27	C 11347	LINK - top lift	4
28	115- 407	BOLT - 1/2" x 1-1/2" N. C. ZP	2
29	C 10800	BOLT - belt tension arm	1
30	C 10952	YOKE - adjustable rod end	1
31	C 10802	YOKE - belt tension arm	1
32	C 10813	SPRING - belt tension	1
33	C 10818	PIN - pivot	1
34	C 10897	PIN - pivot	1
35	C 10883	PIN - safety	2
36	25- 148	NUT - 1/2"-13 N. C. hex	3

12



DUMP CART

120, 150 AND 190 GARDEN TRACTORS

REF.	PART NO.	DESCRIPTION	REQ'D
1	186- 218	SCREW - 5/8" No. 5 - round head	6
2	C 11436	ANGLE - stiffener	2
3	C 11437	TAIL GATE - wood	1
4	NSS	BODY - trailer assembly	1
5	132- 93	PIN - cotter - 3/16" x 1-1/4"	2
6	A 70063	WHEEL - assembly	2
7	A 70066	RIM - wheel - 4 x 8	1
8	A 70398	BUSHING - wheel - flanged - 3/4"	2
9	219- 1	GREASE FITTING - zerk	1
10	C 10664	BRACKET - axle	2
11	12- 512	BOLT - 5/16" x 3/4" round head, square neck	6
12	92- 5	WASHER - 5/16" SAE std. lock	6
13	25- 105	NUT - 5/16" N. C. hex	6
14	C 10666	TONGUE - rear assembly with axle	1
15	12- 612	BOLT - 3/8" x 3/4" - round head, square neck	2
16	92- 6	WASHER - 3/8" SAE std. lock	2
17	25- 106	NUT - 3/8" N. C. hex	3
18	C 10665	TONGUE - front assembly	1
19	C 10661	LEVER - release	1
20	C 10662	KNOB - release lever	1
21	15- 656	BOLT - 3/8" x 3-1/2" hex head	1
22	25- 146	NUT - 3/8" N. C. hex jam	1
23	C 10663	SPRING - release lever	1
24	95- 5	WASHER - 5/16" SAE std. plain	1
25	25- 105	NUT - 5/16" N. C. hex	1
26	25- 145	NUT - 5/16" N. C. hex jam	1

NUMERICAL INDEX

PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.	PART NO.	PAGE NO.	REF. NO.
A 70063	17	6	C 10821	15	5	C 11437	17	3
A 70066	17	7	C 10822	7	6	C 11654	7	16
A 70398	17	8	C 10822	5	6	C 11655	5	16
A 70404	7	10	C 10833	5	9	C 11666	9	1
A 70404	5	10	C 10850	13	1	C 11669	11	1
C 10463	11	2	C 10850	15	1	C 12887	15	4
C 10463	9	2	C 10870	13	18	HARDWARE CODE NUMBERS		
C 10551	11	3	C 10871	13	21	11 516	13	22
C 10551	9	3	C 10873	13	13	11 516	15	22
C 10661	17	19	C 10873	15	13	11 614	5	26
C 10662	17	20	C 10878	15	21	11 614	7	26
C 10663	17	23	C 10879	13	4	12 512	17	11
C 10664	17	10	C 10881	15	18	12 612	17	15
C 10665	17	18	C 10883	9	35	13- 856	13	14
C 10666	17	14	C 10883	11	35	13- 856	15	14
C 10713	5	7	C 10888	15	25	13- 896	9	4
C 10713	7	7	C 10888	13	25	13- 896	11	4
C 10751	9	13	C 10896	13	11	14- 824	5	24
C 10751	11	13	C 10896	15	11	14- 624	7	24
C 10757	9	11	C 10897	9	34	15 656	17	21
C 10757	11	11	C 10897	11	34	25 105	13	24
C 10760	11	8	C 10898	15	3	25 105	15	24
C 10760	9	8	C 10898	9	21	25 105	17	13
C 10765	5	21	C 10898	13	3	25 105	17	25
C 10765	7	21	C 10898	11	21	25 106	5	28
C 10769	7	8	C 10899	7	11	25 106	7	28
C 10788	7	9	C 10899	5	11	25 106	17	17
C 10789	11	9	C 10904	5	4	25 108	9	6
C 10789	9	9	C 10904	7	4	25 108	11	6
C 10800	9	29	C 10915	11	24	25 108	13	16
C 10800	11	29	C 10916	11	25	25 108	15	16
C 10802	9	31	C 10919	5	8	25 145	17	26
C 10802	11	31	C 10921	13	10	25 146	17	22
C 10803	9	25	C 10921	15	10	25 148	9	36
C 10804	9	24	C 10942	5	14	25 148	11	36
C 10806	5	1	C 10942	7	14	25 156	9	18
C 10806	7	1	C 10949	9	7	25 156	11	18
C 10807	5	13	C 10951	11	7	25 1112	5	3
C 10807	7	13	C 10952	9	30	25 1112	7	3
C 10808	5	15	C 10952	11	30	92 5	13	23
C 10808	7	15	C 10953	9	16	92 5	15	23
C 10810	5	12	C 10953	11	16	92 5	17	12
C 10810	7	12	C 10965	13	9	92 6	5	17
C 10811	7	16	C 10965	15	9	92 6	5	20
C 10813	9	32	C 10966	15	8	92 6	5	25
C 10813	11	32	C 10966	13	8	92 6	7	17
C 10814	5	22	C 10967	13	7	92 6	7	20
C 10814	7	22	C 10967	15	7	92 6	7	25
C 10817	5	23	C 10968	15	20	92 6	17	16
C 10817	7	23	C 10968	13	20	92 8	9	5
C 10818	9	33	C 11049	15	19	92 8	11	5
C 10818	11	33	C 11049	13	19	92 8	13	15
C 10820	13	2	C 11344	11	26	92 8	15	15
C 10820	15	2	C 11344	9	26	95 5	17	24
C 10821	9	22	C 11345	9	27	111 342	13	26
C 10821	11	22	C 11347	11	27			
C 10821	13	5	C 11436	17	2			

Be Safe...

***Insist on
GENUINE***



PARTS!